



Cat[®] Pulverizers

P214-P365

Technical Specifications

Not all attachments are available in all regions. Consult your Cat[®] dealer for specific configurations available in your region.

Table of Contents

Specifications	2
Hydraulic Requirements	2
Dimensions	3
Matching – Tracked Excavators	4
Matching – Wheel Excavators	119
Matching – Material Handlers	162

Pulverizer Technical Specifications

Specifications

Model	Part No.	Cycle Time		Cutting/Crushing Forces						Recommended Carrier Weights			
		Open	Close	at primary cutter		at primary tooth		at tip		Minimum		Maximum	
		s	s	kN	st	kN	st	kN	st	kg	lb	kg	lb
P318 Primary Pulverizer	591-8124	1.6	1.0	2740	308	1120	126	795	89	18 000	39,700	25 000	55,100
P324 Primary Pulverizer	591-8125	1.8	1.2	3965	446	1620	182	1175	132	24 000	52,900	35 000	77,200
P332 Primary Pulverizer	591-2094	1.9	1.3	5010	563	1910	215	1440	162	32 000	70,500	50 000	110,200
P345 Primary Pulverizer	627-2054	1.9	1.4	5905	664	2385	268	1710	192	45 000	99,200	68 000	149,900
P365 Primary Pulverizer	634-9604	2.1	1.6	7330	824	2675	301	2030	228	65 000	143,300	95 000	209,400
P214 Secondary Pulverizer	623-0056	1.6	1.0	2345	264	1320	148	655	74	14 000	30,900	19 000	41,900
P218 Secondary Pulverizer	586-9549	1.8	1.2	3125	351	1710	192	955	107	18 000	39,700	25 000	55,100
P224 Secondary Pulverizer	583-6803	1.9	1.3	3640	409	1990	224	1145	129	24 000	52,900	35 000	77,200
P232 Secondary Pulverizer	584-9938	1.9	1.4	4265	479	2240	252	1360	153	32 000	70,500	50 000	110,200
P245 Secondary Pulverizer	630-2700	2.1	1.6	6485	729	2355	265	1830	206	45 000	99,200	70 000	154,300


Hydraulic Requirements

Model	Part No.	Jaw Circuit				Rotator Circuit			
		Max. Operating Pressure		Max. Oil Flow		Max. Operating Pressure		Max. Oil Flow	
		kPa	psi	L/min	gpm	kPa	psi	L/min	gpm
P318 Primary Pulverizer	591-8124	33 000	4,786	150	40	14 000	2,031	40	11
P324 Primary Pulverizer	591-8125	33 000	4,786	225	59	14 000	2,031	40	11
P332 Primary Pulverizer	591-2094	33 000	4,786	280	74	16 000	2,321	40	11
P345 Primary Pulverizer	627-2054	33 000	4,786	360	95	16 000	2,321	45	12
P365 Primary Pulverizer	634-9604	33 000	4,786	450	119	16 000	2,321	50	13
P214 Secondary Pulverizer	623-0056	33 000	4,786	150	40	-	-	-	-
P218 Secondary Pulverizer	586-9549	33 000	4,786	225	59	-	-	-	-
P224 Secondary Pulverizer	583-6803	33 000	4,786	280	74	-	-	-	-
P232 Secondary Pulverizer	584-9938	33 000	4,786	360	95	-	-	-	-
P245 Secondary Pulverizer	630-2700	33 000	4,786	450	119	-	-	-	-

Pulverizer Technical Specifications

Dimensions


Primary Pulverizer



Model	Part No.	(A) Overall Length		(B) Height		(C) Width		(D) Jaw Depth		(F) Cutter Length	
		mm	in	mm	in	mm	in	mm	in	mm	in
P318 Primary Pulverizer	591-8124	2125	83.7	1525	60.0	790	31.1	660	26.0	150	5.9
P324 Primary Pulverizer	591-8125	2305	90.7	1700	66.9	790	31.1	730	28.7	200	7.9
P332 Primary Pulverizer	591-2094	2350	92.5	2005	78.9	1005	39.6	820	32.3	200	7.9
P345 Primary Pulverizer	627-2054	2525	99.4	2280	89.8	980	38.6	910	35.8	225	8.9
P365 Primary Pulverizer	634-9604	2865	112.8	2520	99.2	1085	42.7	1085	42.7	225	8.9

Model	Part No.	Jaw Opening								Fixed Jaw Width		Moving Jaw Width		Weight	
		(E1) at primary cutter		(E2) at secondary tooth		(E3) at tip		(E4) at outer teeth		mm	in	mm	in	kg	lb
		mm	in	mm	in	mm	in	mm	in						
P318 Primary Pulverizer	591-8124	310	12.2	305	12.0	1085	42.7	825	32.5	620	24.4	335	13.2	2080	4,586
P324 Primary Pulverizer	591-8125	375	14.8	360	14.2	1210	47.6	910	35.8	640	25.2	380	15.0	2755	6,074
P332 Primary Pulverizer	591-2094	395	15.6	465	18.3	1315	51.8	1015	40.0	660	26.0	380	15.0	3325	7,330
P345 Primary Pulverizer	627-2054	440	17.3	420	16.5	1430	56.3	1115	43.9	750	29.5	460	18.1	4718	10,401
P365 Primary Pulverizer	634-9604	480	18.9	630	24.8	1635	64.4	1320	52.0	820	32.3	520	20.5	6230	13,735

Secondary Pulverizer



Model	Part No.	(A) Overall Length		(B) Height		(C) Width		(D) Jaw Depth		(F) Cutter Length	
		mm	in	mm	in	mm	in	mm	in	mm	in
P214 Secondary Pulverizer	623-0056	2210	87.0	1310	51.6	555	21.9	650	25.6	115	4.5
P218 Secondary Pulverizer	586-9549	2465	97.0	1450	57.1	620	24.4	770	30.3	150	5.9
P224 Secondary Pulverizer	583-6803	2725	107.3	1585	62.4	660	26.0	845	33.3	200	7.9
P232 Secondary Pulverizer	584-9938	2995	117.9	1755	69.1	670	26.4	930	36.6	200	7.9
P245 Secondary Pulverizer	630-2700	3390	133.5	2055	80.9	830	32.7	1070	42.1	225	8.9

Model	Part No.	Jaw Opening								Fixed Jaw Width		Moving Jaw Width		Weight	
		(E1) at primary cutter		(E2) at secondary tooth		(E3) at tip		(E4) at outer teeth		mm	in	mm	in	kg	lb
		mm	in	mm	in	mm	in	mm	in						
P214 Secondary Pulverizer	623-0056	280	11.0	295	11.6	885	34.8	650	25.6	555	21.9	310	12.2	1490	3,285
P218 Secondary Pulverizer	586-9549	340	13.4	420	16.5	1070	42.1	825	32.5	620	24.4	335	13.2	2000	4,409
P224 Secondary Pulverizer	583-6803	405	15.9	475	18.7	1175	46.3	900	35.4	660	26.0	380	15.0	2700	5,952
P232 Secondary Pulverizer	584-9938	445	17.5	575	22.6	1280	50.4	1005	39.6	670	26.4	380	15.0	3460	7,628
P245 Secondary Pulverizer	630-2700	500	19.7	610	24.0	1495	58.9	1150	45.3	785	30.9	460	18.1	4915	10,836

Pulverizer Technical Specifications

Matching – Tracked Excavators

 Match

 * Working Range Front Only

 No Match

316F

Pin-on Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat® Pin Grabber Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach	
Stick Length	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach			VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓*

CW-30 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach			VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓*

S60 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach			
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓	✓*

HCS60 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach		
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓*

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS65 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach	
Stick Length	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓*

317 GC

Pin-on Attachments

Undercarriage	L						
Counterweight	3.05 MT			3.57 MT			
Boom Type	Reach						
Stick Length	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	3.05 MT	3.57 MT			
Boom Type	Reach				
Stick Length	2.60 m (8'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓*	✓	✓*	✓*	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	3.05 MT	
Boom Type	Reach	
Stick Length	2.60 m (8'6")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓*

CW-30 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	3.05 MT	
Boom Type	Reach	
Stick Length	2.60 m (8'6")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓*

S60 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	3.05 MT			3.57 MT			
Boom Type	Reach						
Stick Length	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓*	✓*	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS60 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	3.05 MT		3.57 MT			
Boom Type	Reach					
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	3.05 MT	3.57 MT			
Boom Type	Reach				
Stick Length	2.60 m (8'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓*	✓	✓*	✓*	✓*

317 (Build: 07)

Pin-on Attachments

Undercarriage	L			
Counterweight	3.05 MT			
Boom Type	Reach			
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L					
Counterweight	3.57 MT					
Boom Type	Reach				VA	
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	3.05 MT	3.57 MT			
Boom Type	Reach				
Stick Length	2.60 m (8'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓*	✓	✓	✓*	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	3.57 MT	
Boom Type	Reach	
Stick Length	2.60 m (8'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-30 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	3.57 MT			
Boom Type	Reach		VA	
Stick Length	2.60 m (8'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	3.57 MT
Boom Type	Reach
Stick Length	2.60 m (8'6")
P214 Secondary Pulverizer	✓

S60 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	3.05 MT				3.57 MT			
Boom Type	Reach							
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	3.05 MT				3.57 MT			
Boom Type	Reach							
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓*	✓*	✓*	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	3.05 MT			3.57 MT			
Boom Type	Reach						
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	
P214 Secondary Pulverizer	✓*	✓*	✓	✓	✓	✓	

317 (Build: 07D)

Pin-on Attachments

Undercarriage	L			
Counterweight	3.25 MT			
Boom Type	Reach			
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

Pin-on Attachments

Undercarriage	L					
Counterweight	3.77 MT					
Boom Type	Reach				VA	
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	3.25 MT	3.77 MT			
Boom Type	Reach				
Stick Length	2.60 m (8'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓*	✓	✓	✓*	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	3.77 MT	
Boom Type	Reach	
Stick Length	2.60 m (8'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	3.77 MT			
Boom Type	Reach		VA	
Stick Length	2.60 m (8'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	3.77 MT
Boom Type	Reach
Stick Length	2.60 m (8'6")
P214 Secondary Pulverizer	✓

S60 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	3.25 MT				3.77 MT			
Boom Type	Reach							
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

HCS60 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	3.25 MT				3.77 MT			
Boom Type	Reach							
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓	✓*	✓*	✓*	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	3.25 MT			3.77 MT		
Boom Type	Reach					
Stick Length	2.60 m (8'6")	2.90 m (9'6")	2.60 m (8'6")	2.90 m (9'6")	2.90 m TR (9'6")	3.10 m (10'2")
P214 Secondary Pulverizer	✓*	✓*	✓	✓	✓	✓

318F

Pin-on Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer	✓		✓*			
P318 Primary Pulverizer	✓		✓*			

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCCW-30 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach	
Stick Length	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓*

S60 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer	✓*					
P318 Primary Pulverizer	✓*					

HCS60 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				VA	
Stick Length	2.25 m (7'5")	2.60 m (8'6")	2.90 m (9'6")	3.10 m (10'2")	2.25 m (7'5")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*

320D2 GC

Pin-on Attachments

Undercarriage	-	
Counterweight	-	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓*

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

320D2

Pin-on Attachments

Undercarriage	L		-
Counterweight	-		
Boom Type	Reach HD		
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	L
Counterweight	-
Boom Type	Reach HD
Stick Length	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach HD	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach HD	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓*

320F

Pin-on Attachments

Undercarriage	L				-
Counterweight	-				
Boom Type	Reach		VA		Reach
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach		VA
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓*	

CW-40s Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	-
Boom Type	Reach
Stick Length	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓*
P318 Primary Pulverizer	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓*	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach		VA
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓*	✓*
P318 Primary Pulverizer	✓*		

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	-
Boom Type	Reach
Stick Length	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓*
P318 Primary Pulverizer	✓*

320 GC

Pin-on Attachments

Undercarriage	L		-		MID	
Counterweight	3.7 MT					
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m sHD (8'2")	2.92 m sHD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓

Pin-on Attachments

Undercarriage	L		-		LN			
Counterweight	4.2 MT				4.55 MT		3.9 MT	
Boom Type	Reach				Reach			
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	L	MID	L		-	LN
Counterweight	3.7 MT		4.2 MT			4.55 MT
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.50 m sHD (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")
P218 Secondary Pulverizer	✓*	✓*	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓*		✓	✓	✓*	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

CW-40s Dedicated Coupler Attachments

Undercarriage	L		MID	
Counterweight	3.7 MT			
Boom Type	Reach			
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m sHD (8'2")	2.92 m sHD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓*	✓	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	L		-		LN	
Counterweight	4.2 MT				4.55 MT	
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L		MID	
Counterweight	3.7 MT			
Boom Type	Reach			
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m sHD (8'2")	2.92 m sHD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓*	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L		-		LN	
Counterweight	4.2 MT				4.55 MT	
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L		-		LN	
Counterweight	4.2 MT				4.55 MT	
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")		
P218 Secondary Pulverizer	✓	✓	✓*	✓*		
P318 Primary Pulverizer	✓	✓*	✓*			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S70 Dedicated Coupler Attachments

Undercarriage	L		–		LN	
Counterweight	4.2 MT				4.55 MT	
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	

HCS70 Dedicated Coupler Attachments

Undercarriage	L		–		LN	
Counterweight	4.2 MT				4.55 MT	
Boom Type	Reach					
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")		
P218 Secondary Pulverizer	✓	✓	✓*	✓*		
P318 Primary Pulverizer	✓	✓	✓*	✓*		

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L		–	
Counterweight	4.2 MT			
Boom Type	Reach			
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	
P218 Secondary Pulverizer	✓	✓	✓*	
P318 Primary Pulverizer	✓	✓*		

320

Pin-on Attachments

Undercarriage	L			
Counterweight	4.2 MT		3.7 MT	
Boom Type	Reach HD			
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L				
Counterweight	4.2 MT				4.7 MT
Boom Type	Reach		VA		Reach HD
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		3.7 MT	4.2 MT		4.7 MT
Boom Type	Reach HD			Reach		Reach HD
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓*	✓*	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓*	✓	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	4.2 MT		3.7 MT		4.2 MT		
Boom Type	Reach HD				Reach		VA
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	4.2 MT		3.7 MT		4.2 MT		
Boom Type	Reach HD				Reach		VA
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	4.2 MT	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L								
Counterweight	4.2 MT			3.7 MT		4.2 MT			4.7 MT
Boom Type	Reach HD				Reach			VA	Reach HD
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m TR (9'7")	
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*	✓	
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓	✓*	✓	

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		3.7 MT	4.2 MT		4.7 MT
Boom Type	Reach HD			Reach		Reach HD
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓*	✓*	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓*	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		3.7 MT	4.2 MT		4.7 MT
Boom Type	Reach HD			Reach		Reach HD
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓*	✓*	✓	✓*	✓
P318 Primary Pulverizer	✓	✓*	✓*	✓	✓*	✓

323D2

Pin-on Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD		ME
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.40 m (7'10")
P218 Secondary Pulverizer	✓	✓	✓
P224 Secondary Pulverizer			✓
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer			✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD		ME
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.40 m (7'10")
P218 Secondary Pulverizer	✓	✓*	✓
P318 Primary Pulverizer	✓	✓*	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach HD	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD		ME
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.40 m (7'10")
P218 Secondary Pulverizer	✓	✓	✓
P224 Secondary Pulverizer			✓
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer			✓

323F

Pin-on Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")	2.92 m HD-TR (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓					

Pin-on Attachments

Undercarriage	L				LN		
Counterweight	5.35 MT				-		
Boom Type	Reach		VA		Reach		VA
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer	✓						
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓						

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")	2.92 m HD-TR (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L				LN
Counterweight	5.35 MT				–
Boom Type	Reach		VA		Reach
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	–			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*			
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer	✓*			

CW-40s Dedicated Coupler Attachments

Undercarriage	L				LN	
Counterweight	5.35 MT				–	
Boom Type	Reach		VA		Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer	✓					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓					

CW-40 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	–			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*			
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer	✓*			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	L				LN	
Counterweight	5.35 MT				-	
Boom Type	Reach		VA		Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer	✓					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓					

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				LN
Counterweight	5.35 MT				-
Boom Type	Reach		VA		Reach
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")	2.92 m HD-TR (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer						

S70 Dedicated Coupler Attachments

Undercarriage	L				LN	
Counterweight	5.35 MT				-	
Boom Type	Reach		VA		Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓					

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")	2.92 m HD-TR (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	L				LN
Counterweight	5.35 MT				-
Boom Type	Reach		VA		Reach
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m HD (9'7")	2.92 m HD-TR (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L				LN
Counterweight	5.35 MT				-
Boom Type	Reach		VA		Reach
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	

323 GC

Pin-on Attachments

Undercarriage	L	
Counterweight	4.7 MT	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓	
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L	
Counterweight	4.7 MT	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	4.7 MT	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓*	
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓*	

CW-40 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	4.7 MT	
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓*	
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓*	

323

Pin-on Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*		✓		✓	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*		✓		✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L				
Counterweight	4.2 MT		5.4 MT		
Boom Type	VA		Reach		Reach HD
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer			✓		
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓	✓	

Pin-on Attachments

Undercarriage	L		LN			
Counterweight	5.4 MT		4.5 MT			
Boom Type	VA		Reach		VA	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer	✓					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓					

Pin-on Attachments

Undercarriage	SA			
Counterweight	4.5 MT			
Boom Type	Reach		VA	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer				

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L								
Counterweight	4.2 MT		5.4 MT						
Boom Type	VA	Reach			Reach HD			VA	
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.50 m (8'2")	2.92 m (9'7")	
P218 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓	✓	
P318 Primary Pulverizer	✓*	✓	✓	✓	✓	✓	✓	✓	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	LN	SA
Counterweight	4.5 MT	4.5 MT
Boom Type	Reach	
Stick Length	2.50 m (8'2")	2.50 m (8'2")
P218 Secondary Pulverizer	✓*	✓*
P318 Primary Pulverizer	✓*	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer						
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓			

CW-40s Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	4.2 MT			5.4 MT				
Boom Type	VA		Reach		Reach HD		VA	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer			✓				✓*	
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓		✓		✓*	

CW-40s Dedicated Coupler Attachments

Undercarriage	LN		SA		
Counterweight	4.5 MT				
Boom Type	Reach				VA
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓*
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓*	✓	✓	
P324 Primary Pulverizer					

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT			5.4 MT		
Boom Type	Reach HD			Reach		
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer			✓			
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓			

CW-40 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	4.2 MT				5.4 MT			
Boom Type	VA		Reach		Reach HD		VA	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer			✓		✓		✓*	
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓		✓		✓*	

CW-40 Dedicated Coupler Attachments

Undercarriage	LN		SA		
Counterweight	4.5 MT				
Boom Type	Reach				VA
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓*
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓*	✓	✓	
P324 Primary Pulverizer					

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	4.2 MT				5.4 MT		
Boom Type	Reach		Reach HD		VA	Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				LN	SA
Counterweight	5.4 MT				4.5 MT	
Boom Type	Reach HD		VA		Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓			

S70 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	4.2 MT		5.4 MT				
Boom Type	VA		Reach		Reach HD		
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓
P324 Primary Pulverizer			✓		✓		

S70 Dedicated Coupler Attachments

Undercarriage	L		LN		SA	
Counterweight	5.4 MT		4.5 MT			
Boom Type	VA		Reach			
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓*
P324 Primary Pulverizer						

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT	5.4 MT				
Boom Type	VA	Reach			Reach HD	
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓*	✓	✓	✓	✓	✓

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L		LN	SA
Counterweight	5.4 MT		4.5 MT	
Boom Type	VA		Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓	✓*	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT		5.4 MT		4.2 MT	
Boom Type	Reach HD				Reach	
Stick Length	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.50 m (8'2")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.2 MT	5.4 MT				
Boom Type	VA	Reach			Reach HD	
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.92 m (9'7")	2.50 m HD (8'2")	2.92 m HD (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓*	✓	✓	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L		LN	SA
Counterweight	5.4 MT		4.5 MT	
Boom Type	VA		Reach	
Stick Length	2.50 m (8'2")	2.92 m (9'7")	2.50 m (8'2")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓	✓*	✓*

325F CR

Pin-on Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach	VA
Stick Length	2.92 m HD (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match

* Working Range Front Only

No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	Reach
Stick Length	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach	VA
Stick Length	2.92 m HD (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach	VA
Stick Length	2.92 m HD (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	Reach
Stick Length	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach	VA
Stick Length	2.92 m HD (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	Reach
Stick Length	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	Reach
Stick Length	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓*

325

Pin-on Attachments

Undercarriage	L					
Counterweight	6.7 MT					
Boom Type	Reach			Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L					
Counterweight	8.3 MT					
Boom Type	Reach			Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L w/blade (up)					
Counterweight	4.9 MT					
Boom Type	Reach			Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	6.7 MT					
Boom Type	Reach			Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L						L w/blade (up)
Counterweight	8.3 MT						4.9 MT
Boom Type	Reach			Reach HD		VA	Reach
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT					8.3 MT	
Boom Type	Reach		Reach HD		VA	Reach	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	L			L w/blade (up)			
Counterweight	8.3 MT			4.9 MT			
Boom Type	Reach HD		VA	Reach		Reach HD	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT					8.3 MT	
Boom Type	Reach		Reach HD		VA	Reach	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	L			L w/blade (up)			
Counterweight	8.3 MT			4.9 MT			
Boom Type	Reach HD		VA	Reach		Reach HD	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	6.7 MT			
Boom Type	Reach		Reach HD	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓*

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	8.3 MT				
Boom Type	Reach		Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT				8.3 MT			
Boom Type	Reach		Reach HD		VA	Reach		
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	L			L w/blade (up)				
Counterweight	8.3 MT			4.9 MT				
Boom Type	Reach HD		VA	Reach			Reach HD	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓*	✓*	✓*
P318 Primary Pulverizer	✓	✓	✓	✓*	✓*	✓*	✓*	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	6.7 MT				
Boom Type	Reach		Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L						L w/blade (up)
Counterweight	8.3 MT						4.9 MT
Boom Type	Reach			Reach HD		VA	Reach
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	6.7 MT			
Boom Type	Reach		Reach HD	
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")	2.92 m HD (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	8.3 MT					
Boom Type	Reach			Reach HD		VA
Stick Length	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m TR (9'7")	2.92 m (9'7")	2.92 m HD (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

326D2

Pin-on Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach	Reach HD
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach	Reach HD
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓*	
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓*	

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach	Reach HD
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓
P224 Secondary Pulverizer	✓	✓*
P318 Primary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓*

326F

Pin-on Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach HD			VA		
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")	
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	

Pin-on Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*	✓*	

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach HD			VA		
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")	
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	
P224 Secondary Pulverizer	✓*					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	
P324 Primary Pulverizer	✓*					

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer				

CW-40 Dedicated Coupler Attachments

Undercarriage	L				LN			
Counterweight	-							
Boom Type	Reach HD		VA		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓	✓		✓*			
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓*	✓*			

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				LN			
Counterweight	-							
Boom Type	Reach HD		VA		Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*						
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*	✓*					

S70 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓		✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓		✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S70 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*			
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer	✓*			

S80 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*			
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*			

S80 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer				

HCS70 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*		✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer				

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*			
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer				

HCS80 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	3.60 m HD (11'10")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*				

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	-			
Boom Type	Reach HD		VA	
Stick Length	2.50 m HD (8'2")	2.95 m HD (9'8")	2.50 m HD (8'2")	2.95 m HD (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓*
P224 Secondary Pulverizer				
P318 Primary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer				

326 (Build: 07C)

Pin-on Attachments

Undercarriage	L						
Counterweight	4.6 MT						
Boom Type	Reach HD		Reach			VA	
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*	✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓*	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L						
Counterweight	4.6 MT						
Boom Type	Reach HD		Reach			VA	
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*		✓	✓*		✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*		✓	✓*		✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

CW-40 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach HD		Reach		VA	
Stick Length	2.50 m (8'2")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓			✓*	

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*	✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*	✓*	✓	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCCW-40 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

S70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach HD	Reach			VA	
Stick Length	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*	✓	✓		✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*	✓	✓		✓	✓*

S70 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*				

S80 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*		✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT	4.6 MT	4.6 MT	4.6 MT	4.6 MT
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach HD	Reach			VA	
Stick Length	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*	✓	✓*		✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*	✓	✓		✓	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*				

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*		✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	✓*	

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS70/55 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

HCS80 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach HD	Reach			VA	
Stick Length	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer		✓	✓*		✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer		✓	✓*		✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓*
P324 Primary Pulverizer					

326 (Build: 07D)

Pin-on Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*	✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*	✓*	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*	✓*				

Cat Pin Grabber Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

CW-40 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*				

HCCW-40 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓			✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	

HCCW-40 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

S70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓		✓*	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓		✓*	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S70 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*				
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*				

S80 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*			✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*			✓*	

S80 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

HCS70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*		✓*	✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*		✓*	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓	✓*			✓*	
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓*			✓*	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer					

HCS80 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	4.6 MT					
Boom Type	Reach			Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	3.60 m (11'10")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P224 Secondary Pulverizer	✓*					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓*					

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	4.6 MT				
Boom Type	Reach		Reach HD	VA	
Stick Length	2.50 m (8'2")	2.95 m (9'8")	2.95 m HD (9'8")	2.50 m (8'2")	2.95 m (9'8")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P224 Secondary Pulverizer					
P318 Primary Pulverizer	✓	✓	✓	✓	✓*
P324 Primary Pulverizer					

330D2

Pin-on Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach	Reach HD		ME
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓	✓
P232 Secondary Pulverizer				✓
P324 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer				✓
P332 Primary Pulverizer – Flat Top				✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach	Reach HD	ME
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer			✓*

CW-45s Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach	Reach HD		ME
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓*	✓
P232 Secondary Pulverizer				✓*
P324 Primary Pulverizer	✓	✓	✓*	✓
P332 Primary Pulverizer				✓
P332 Primary Pulverizer – Flat Top				✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach	Reach HD	ME
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer			✓

330F

Pin-on Attachments

Undercarriage	L			LN	
Counterweight	-				
Boom Type	Reach HD				
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓		✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L		LN	
Counterweight	-			
Boom Type	Reach HD			
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓*
P332 Primary Pulverizer	✓*			

CW-45s Dedicated Coupler Attachments

Undercarriage	L		LN	
Counterweight	-			
Boom Type	Reach HD			
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓*
P332 Primary Pulverizer	✓*			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L		LN	
Counterweight	-			
Boom Type	Reach HD			
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓*
P332 Primary Pulverizer	✓*			

S70 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	-				
Boom Type	Reach HD				
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓

S80 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	-				
Boom Type	Reach HD				
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*
P324 Primary Pulverizer	✓	✓	✓*	✓	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	-				
Boom Type	Reach HD				
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*
P324 Primary Pulverizer	✓	✓	✓*	✓	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	-				
Boom Type	Reach HD	Reach HD	Reach HD	Reach HD	Reach HD
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*
P324 Primary Pulverizer	✓	✓	✓*	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L		LN
Counterweight	-		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓

330 GC

Pin-on Attachments

Undercarriage	L	-		
Counterweight	6.7 MT			
Boom Type	ME	Reach		ME
Stick Length	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓	✓
P232 Secondary Pulverizer	✓			✓
P324 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top	✓			✓

Pin-on Attachments

Undercarriage	-					
Counterweight	5.8 MT					
Boom Type	Reach		ME	Reach		ME
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*			✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer			✓			✓
P332 Primary Pulverizer – Flat Top			✓*			✓*

Pin-on Attachments

Undercarriage	L			LN		
Counterweight	6.7 MT					
Boom Type	Reach					
Stick Length	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")	
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	
P232 Secondary Pulverizer						
P324 Primary Pulverizer	✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓*	✓	✓*	
P332 Primary Pulverizer – Flat Top						

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L	–	
Counterweight	6.7 MT		5.8 MT
Boom Type	ME		
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓		
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓		

CW-45s Dedicated Coupler Attachments

Undercarriage	L	–			
Counterweight	6.7 MT			5.8 MT	
Boom Type	ME	Reach		ME	Reach
Stick Length	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")	2.65 m (8'8")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer	✓			✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓*
P332 Primary Pulverizer	✓			✓	
P332 Primary Pulverizer – Flat Top	✓			✓*	

CW-45s Dedicated Coupler Attachments

Undercarriage	–		L		LN	
Counterweight	5.8 MT		6.7 MT			
Boom Type	Reach	ME	Reach			
Stick Length	2.65 m (8'8")	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*			
P324 Primary Pulverizer	✓*	✓	✓	✓	✓	✓
P332 Primary Pulverizer			✓	✓*	✓*	
P332 Primary Pulverizer – Flat Top			✓*			

CW-45 Dedicated Coupler Attachments

Undercarriage	L	–			
Counterweight	6.7 MT			5.8 MT	
Boom Type	ME	Reach		ME	Reach
Stick Length	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")	2.65 m (8'8")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓*
P232 Secondary Pulverizer	✓				
P324 Primary Pulverizer	✓	✓	✓*	✓	✓*
P332 Primary Pulverizer	✓			✓	
P332 Primary Pulverizer – Flat Top	✓				

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	–		L		LN	
Counterweight	5.8 MT			6.7 MT		
Boom Type	Reach	ME	Reach			
Stick Length	2.65 m (8'8")	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*			
P324 Primary Pulverizer	✓*	✓	✓	✓	✓	✓
P332 Primary Pulverizer			✓		✓*	
P332 Primary Pulverizer – Flat Top			✓*			

S70 Dedicated Coupler Attachments

Undercarriage	–			
Counterweight	6.7 MT		5.8 MT	
Boom Type	Reach			
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	6.7 MT				
Boom Type	Reach				
Stick Length	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓

S80 Dedicated Coupler Attachments

Undercarriage	–				
Counterweight	6.7 MT			5.8 MT	
Boom Type	Reach		ME	Reach	ME
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")	2.65 m (8'8")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓	✓*	✓
P232 Secondary Pulverizer			✓*		
P324 Primary Pulverizer	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top			✓*		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	6.7 MT				
Boom Type	Reach				
Stick Length	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*				

HCS70 Dedicated Coupler Attachments

Undercarriage	–			L			LN	
Counterweight	6.7 MT		5.8 MT	6.7 MT				
Boom Type	Reach							
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	–			L			LN	
Counterweight	6.7 MT		5.8 MT	6.7 MT				
Boom Type	Reach							
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓

HCS80 Dedicated Coupler Attachments

Undercarriage	–			
Counterweight	6.7 MT			5.8 MT
Boom Type	Reach		ME	
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.50 m (8'2")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓*	✓	✓
P232 Secondary Pulverizer				
P324 Primary Pulverizer	✓	✓*	✓	✓

HCS80 Dedicated Coupler Attachments

Undercarriage	L			LN	
Counterweight	6.7 MT				
Boom Type	Reach				
Stick Length	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓		✓	✓*
P232 Secondary Pulverizer	✓*				
P324 Primary Pulverizer	✓	✓	✓*	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

330

Pin-on Attachments

Undercarriage	L					
Counterweight	6.7 MT					
Boom Type	Reach HD	Reach			Straight	
Stick Length	2.65 m HD (8'8")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer						
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓*	✓	✓
P332 Primary Pulverizer – Flat Top						

Pin-on Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	Straight		Reach HD	VA				
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer								
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓*	✓*	✓	✓	✓	✓*	✓*	
P332 Primary Pulverizer – Flat Top								

Pin-on Attachments

Undercarriage	L	LN					
Counterweight	6.7 MT						
Boom Type	ME	Reach		Straight			
Stick Length	2.50 m (8'2")	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓						
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓*	✓*		
P332 Primary Pulverizer – Flat Top	✓						

Pin-on Attachments

Undercarriage	LN				
Counterweight	6.7 MT				
Boom Type	VA				
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer					
P324 Primary Pulverizer	✓	✓	✓	✓	✓*
P332 Primary Pulverizer	✓*	✓*			
P332 Primary Pulverizer – Flat Top					

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Reach HD		Reach			Straight	
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓	✓		✓	✓
P232 Secondary Pulverizer							
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓*		✓				
P332 Primary Pulverizer – Flat Top							

Cat Pin Grabber Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Straight		VA				ME
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓*	✓*	✓	✓	✓	✓*	✓
P232 Secondary Pulverizer							✓
P324 Primary Pulverizer	✓*	✓*	✓	✓	✓	✓*	✓
P332 Primary Pulverizer							✓
P332 Primary Pulverizer – Flat Top							✓

Cat Pin Grabber Coupler Attachments

Undercarriage	LN					
Counterweight	6.7 MT					
Boom Type	Reach		Straight		VA	
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓*	✓*	✓*	✓*
P232 Secondary Pulverizer						
P324 Primary Pulverizer	✓	✓	✓*	✓*	✓*	✓*
P332 Primary Pulverizer						
P332 Primary Pulverizer – Flat Top						

CW-45s Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	6.7 MT					
Boom Type	Reach HD	Reach		Straight		
Stick Length	2.65 m HD (8'8")	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer		✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*	✓*	✓*	
P332 Primary Pulverizer – Flat Top		✓*				

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	Straight	Reach HD	VA					ME
Stick Length	3.20 m HD (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")	2.50 m (8'2")
P224 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓*	✓
P232 Secondary Pulverizer								✓
P324 Primary Pulverizer	✓*	✓	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer		✓*	✓*	✓*				✓
P332 Primary Pulverizer – Flat Top								✓

CW-45s Dedicated Coupler Attachments

Undercarriage	LN						
Counterweight	6.7 MT						
Boom Type	Reach		Straight		VA		
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer							
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P332 Primary Pulverizer	✓*						
P332 Primary Pulverizer – Flat Top							

CW-45 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	6.7 MT					
Boom Type	Reach HD	Reach		Straight		
Stick Length	2.65 m HD (8'8")	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer		✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P332 Primary Pulverizer	✓	✓				
P332 Primary Pulverizer – Flat Top		✓*				

CW-45 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Straight	Reach HD	VA				ME
Stick Length	3.20 m HD (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓*	✓
P232 Secondary Pulverizer							✓
P324 Primary Pulverizer	✓*	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer			✓*				✓
P332 Primary Pulverizer – Flat Top							✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	LN					
Counterweight	6.7 MT					
Boom Type	Reach		Straight		VA	
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓*	✓*	✓*	✓*
P232 Secondary Pulverizer						
P324 Primary Pulverizer	✓	✓	✓*	✓*	✓*	✓*
P332 Primary Pulverizer	✓*					
P332 Primary Pulverizer – Flat Top						

S70 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	Reach HD		Reach			Straight		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	L						LN	
Counterweight	6.7 MT							
Boom Type	Straight		VA				Reach	
Stick Length	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	LN			
Counterweight	6.7 MT			
Boom Type	Straight			
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓	✓*	✓*

S70 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	6.7 MT				
Boom Type	VA				
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓*	✓*	✓
P324 Primary Pulverizer	✓	✓	✓*	✓*	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	ME	Reach HD		Reach			Straight	
Stick Length	2.50 m (8'2")	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓			✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓			✓*				

S80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Straight			VA			
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓
P232 Secondary Pulverizer							
P324 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top							

S80 Dedicated Coupler Attachments

Undercarriage	LN							
Counterweight	6.7 MT							
Boom Type	Reach		Straight		VA			
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓		✓
P232 Secondary Pulverizer								
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top								

HCS70 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	Reach HD		Reach			Straight		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	L						LN	
Counterweight	6.7 MT							
Boom Type	Straight	VA					Reach	
Stick Length	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")	2.65 m (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	LN							
Counterweight	6.7 MT							
Boom Type	Straight				VA			
Stick Length	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.75 m (12'4")	
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓*	✓	
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓*	✓	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	Reach HD		Reach			Straight		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Straight	VA					
Stick Length	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")	
P224 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	
P324 Primary Pulverizer	✓*	✓	✓	✓	✓	✓	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	LN							
Counterweight	6.7 MT							
Boom Type	Reach		Straight		VA			
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L							
Counterweight	6.7 MT							
Boom Type	ME	Reach HD		Reach			Straight	
Stick Length	2.50 m (8'2")	2.65 m HD (8'8")	3.20 m HD (10'6")	2.65 m (8'8")	3.20 m (10'6")	3.75 m (12'4")	2.65 m (8'8")	2.65 m HD (8'8")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓		✓	✓
P232 Secondary Pulverizer	✓			✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓*	✓	✓
P332 Primary Pulverizer – Flat Top	✓							

HCS80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.7 MT						
Boom Type	Straight			VA			
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	3.20 m (10'6")	3.20 m HD (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓*	✓*	✓	✓	✓	✓*	✓*
P232 Secondary Pulverizer							
P324 Primary Pulverizer	✓*	✓*	✓	✓	✓	✓*	✓*
P332 Primary Pulverizer – Flat Top							

HCS80 Dedicated Coupler Attachments

Undercarriage	LN						
Counterweight	6.7 MT						
Boom Type	Reach		Straight		VA		
Stick Length	2.65 m (8'8")	3.20 m (10'6")	2.65 m (8'8")	2.65 m HD (8'8")	2.65 m (8'8")	2.65 m HD (8'8")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓*	✓*	✓*	✓*	✓*	✓*
P232 Secondary Pulverizer							
P324 Primary Pulverizer	✓	✓*	✓*	✓*	✓*	✓*	✓*
P332 Primary Pulverizer – Flat Top							

333

Pin-on Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓*	✓

CW-45s Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓

CW-45 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓

S80 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	7.7 MT		
Boom Type	Reach HD		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.50 m (8'2")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓

335F CR

Pin-on Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	
P324 Primary Pulverizer	✓	✓	✓*
P332 Primary Pulverizer	✓*		

CW-45s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach HD	
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓
P332 Primary Pulverizer	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	–	
Boom Type	Reach HD	
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓
P332 Primary Pulverizer	✓*	

S70 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓

S80 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	✓*
P232 Secondary Pulverizer	✓*		
P324 Primary Pulverizer	✓	✓	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach HD		
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")	3.75 m HD (12'4")
P224 Secondary Pulverizer	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓*

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	-	
Boom Type	Reach HD	
Stick Length	2.65 m HD (8'8")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓
P324 Primary Pulverizer	✓	✓

335

Pin-on Attachments

Undercarriage	L		L w/blade (up)	
Counterweight	7.7 MT		5.0 MT	
Boom Type	Reach			
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓*	✓*	

CW-45s Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓*	✓*

CW-45 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓*	✓*

S70 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)	
Counterweight	7.7 MT		5.0 MT	
Boom Type	Reach			
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")	3.75 m (12'4")
P224 Secondary Pulverizer	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓*	✓*

HCS70 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓*

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓*	✓*

HCS80 Dedicated Coupler Attachments

Undercarriage	L		L w/blade (up)
Counterweight	7.7 MT		5.0 MT
Boom Type	Reach		
Stick Length	3.20 m (10'6")	3.75 m (12'4")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓*	✓*
P324 Primary Pulverizer	✓	✓*	✓*

336D2 GC

Pin-on Attachments

Undercarriage	–
Counterweight	–
Boom Type	Reach
Stick Length	2.80 m (9'2")
P224 Secondary Pulverizer	✓
P232 Secondary Pulverizer	✓*
P324 Primary Pulverizer	✓
P332 Primary Pulverizer	✓
P332 Primary Pulverizer – Flat Top	✓*

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	–
Counterweight	–
Boom Type	Reach
Stick Length	2.80 m (9'2")
P224 Secondary Pulverizer	✓
P324 Primary Pulverizer	✓

CW-45s Dedicated Coupler Attachments

Undercarriage	–
Counterweight	–
Boom Type	Reach
Stick Length	2.80 m (9'2")
P224 Secondary Pulverizer	✓
P324 Primary Pulverizer	✓

CW-45 Dedicated Coupler Attachments

Undercarriage	–
Counterweight	–
Boom Type	Reach
Stick Length	2.80 m (9'2")
P224 Secondary Pulverizer	✓
P324 Primary Pulverizer	✓

336D2

Pin-on Attachments

Undercarriage	L				
Counterweight	–				
Boom Type	Reach HD			ME	
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓	✓	✓		
P232 Secondary Pulverizer	✓	✓*		✓	✓
P324 Primary Pulverizer	✓	✓	✓		
P332 Primary Pulverizer	✓	✓	✓*	✓	✓
P332 Primary Pulverizer – Flat Top	✓			✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			ME	
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓	✓	✓*		
P232 Secondary Pulverizer					✓*
P324 Primary Pulverizer	✓	✓	✓*		
P332 Primary Pulverizer				✓*	✓
P332 Primary Pulverizer – Flat Top					✓*

CW-45s Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach HD		ME	
Stick Length	3.20 m HD (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓	✓		
P232 Secondary Pulverizer			✓*	✓
P324 Primary Pulverizer	✓	✓		
P332 Primary Pulverizer			✓	✓
P332 Primary Pulverizer – Flat Top			✓*	✓

CW-45 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	-				
Boom Type	Reach HD			ME	
Stick Length	3.20 m (10'6")	3.20 m HD (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓	✓	✓*		
P232 Secondary Pulverizer				✓*	✓
P324 Primary Pulverizer	✓	✓	✓*		
P332 Primary Pulverizer	✓*			✓	✓
P332 Primary Pulverizer – Flat Top				✓*	✓

336D2 XE

Pin-on Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD	ME	
Stick Length	3.20 m (10'6")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓		
P232 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓		
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD	ME	
Stick Length	3.20 m (10'6")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓		
P232 Secondary Pulverizer			✓*
P324 Primary Pulverizer	✓		
P332 Primary Pulverizer		✓*	✓
P332 Primary Pulverizer – Flat Top			✓*

CW-45 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	-		
Boom Type	Reach HD	ME	
Stick Length	3.20 m (10'6")	2.55 m (8'4")	2.15 m (7'1")
P224 Secondary Pulverizer	✓		
P232 Secondary Pulverizer		✓*	✓
P324 Primary Pulverizer	✓		
P332 Primary Pulverizer	✓*	✓	✓
P332 Primary Pulverizer – Flat Top		✓*	✓

336F

Pin-on Attachments

Undercarriage	L						
Counterweight	6.0 MT			7.0 MT			
Boom Type	Reach HD					Reach ES	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m ES (10'6")	3.90 m ES (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L			LN			
Counterweight	8.45 MT			7.0 MT		8.45 MT	
Boom Type	Straight			Reach HD		Straight	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓	✓*	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓*	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L						
Counterweight	6.0 MT			7.0 MT			
Boom Type	Reach HD					Reach ES	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m ES (10'6")	3.90 m ES (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*		✓	✓		✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓		✓	✓	✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓*		✓	✓		✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L			LN			
Counterweight	8.45 MT		7.0 MT			8.45 MT	
Boom Type	Straight		Reach HD			Straight	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓		✓	✓		✓	
P332 Primary Pulverizer – Flat Top			✓*				

CW-45s Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	7.0 MT			8.45 MT	
Boom Type	Reach HD			Straight	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓*		
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	

CW-45s Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	7.0 MT			8.45 MT	
Boom Type	Reach HD			Straight	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*	✓	✓*
P332 Primary Pulverizer – Flat Top	✓	✓*		✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	7.0 MT			8.45 MT	
Boom Type	Reach HD			Straight	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓			
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓			

CW-45 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	7.0 MT			8.45 MT	
Boom Type	Reach HD			Straight	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓		✓	✓*
P332 Primary Pulverizer – Flat Top	✓*	✓*			

S80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.0 MT			7.0 MT			
Boom Type	Reach HD				Reach ES		
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m ES (10'6")	3.90 m ES (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓	✓*	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓	✓	✓*	✓	✓*

S80 Dedicated Coupler Attachments

Undercarriage	L			LN			
Counterweight	8.45 MT			7.0 MT		8.45 MT	
Boom Type	Straight			Reach HD		Straight	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓	✓*		✓	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.0 MT			7.0 MT			
Boom Type	Reach HD					Reach ES	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m ES (10'6")	3.90 m ES (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*		✓	✓		✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*		✓	✓		✓	

HCS80 Dedicated Coupler Attachments

Undercarriage	L		LN				
Counterweight	8.45 MT		7.0 MT			8.45 MT	
Boom Type	Straight		Reach HD			Straight	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top			✓*	✓*			

336F XE

Pin-on Attachments

Undercarriage	L				
Counterweight	5.05 MT		6.05 MT		
Boom Type	Reach HD				
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L		LN		
Counterweight	6.05 MT				
Boom Type	Reach ES		Reach HD		
Stick Length	3.20 m ES (10'6")	3.90 m ES (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	5.05 MT		6.05 MT		
Boom Type	Reach HD				
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*		✓	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓		✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*		✓	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L		LN		
Counterweight	6.05 MT				
Boom Type	Reach ES		Reach HD		
Stick Length	3.20 m ES (10'6")	3.90 m ES (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓*	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓*	✓	✓	
P332 Primary Pulverizer – Flat Top	✓		✓*		

CW-45s Dedicated Coupler Attachments

Undercarriage	L			LN		
Counterweight	6.05 MT					
Boom Type	Reach HD					
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓*	✓	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	✓*	

CW-45 Dedicated Coupler Attachments

Undercarriage	L			LN		
Counterweight	6.05 MT					
Boom Type	Reach HD					
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓		✓	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓		✓*	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	5.05 MT		6.05 MT		
Boom Type	Reach HD				
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓	✓	✓*

S80 Dedicated Coupler Attachments

Undercarriage	L		LN		
Counterweight	6.05 MT				
Boom Type	Reach ES		Reach HD		
Stick Length	3.20 m ES (10'6")	3.90 m ES (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓	✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	5.05 MT		6.05 MT		
Boom Type	Reach HD				
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*		✓	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*		✓	✓	

HCS80 Dedicated Coupler Attachments

Undercarriage	L		LN		
Counterweight	6.05 MT				
Boom Type	Reach ES		Reach HD		
Stick Length	3.20 m ES (10'6")	3.90 m ES (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓*	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓*	✓*	

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

336 GC

Pin-on Attachments

Undercarriage	–	L	
Counterweight	6.8 MT		
Boom Type	ME	Reach	
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer		✓	✓
P232 Secondary Pulverizer	✓	✓	✓
P324 Primary Pulverizer		✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓

Pin-on Attachments

Undercarriage	L		–		LN			
Counterweight	6.8 MT							
Boom Type	Reach	ME	Reach				ME	
Stick Length	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")
P224 Secondary Pulverizer	✓		✓	✓	✓	✓	✓	
P232 Secondary Pulverizer		✓	✓	✓		✓	✓*	✓
P324 Primary Pulverizer	✓		✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top		✓	✓	✓		✓	✓*	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	6.8 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓*		
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓*		

Cat Pin Grabber Coupler Attachments

Undercarriage	L	–			LN	
Counterweight	6.8 MT					
Boom Type	ME	Reach				
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer		✓	✓	✓	✓	✓
P232 Secondary Pulverizer		✓*				
P324 Primary Pulverizer		✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓*	✓	✓*		✓*	
P332 Primary Pulverizer – Flat Top		✓*				

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	–	L	
Counterweight	6.8 MT		
Boom Type	ME	Reach	
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer		✓	✓
P232 Secondary Pulverizer	✓*	✓	✓*
P324 Primary Pulverizer		✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓	✓*

CW-45s Dedicated Coupler Attachments

Undercarriage	L	–	LN			
Counterweight	6.8 MT					
Boom Type	ME	Reach				ME
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")
P224 Secondary Pulverizer		✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓*	✓*			✓*
P324 Primary Pulverizer		✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top	✓	✓*				✓*

CW-45 Dedicated Coupler Attachments

Undercarriage	L			–		
Counterweight	6.8 MT					
Boom Type	Reach		ME	Reach		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓		✓	✓	
P232 Secondary Pulverizer	✓*	✓*	✓*	✓*		✓*
P324 Primary Pulverizer	✓	✓		✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top	✓*	✓*	✓*	✓*		✓*

CW-45 Dedicated Coupler Attachments

Undercarriage	LN		
Counterweight	6.8 MT		
Boom Type	Reach		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	
P232 Secondary Pulverizer			
P324 Primary Pulverizer	✓	✓	
P332 Primary Pulverizer	✓*		✓
P332 Primary Pulverizer – Flat Top			

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	6.8 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	

S80 Dedicated Coupler Attachments

Undercarriage	–		LN		
Counterweight	6.8 MT				
Boom Type	Reach				
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓*			

HCS80 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	6.8 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓*	✓*	
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	–		LN		
Counterweight	6.8 MT				
Boom Type	Reach				
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*				
P324 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*				

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

336 (Build: 07)

Pin-on Attachments

Undercarriage	L				
Counterweight	6.8 MT				
Boom Type	Reach HD		Reach		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L					
Counterweight	7.5 MT					
Boom Type	Reach			Reach HD		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	LN					
Counterweight	7.5 MT					
Boom Type	Reach			Reach HD		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓*	✓	✓*	✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	✓*	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L						
Counterweight	6.8 MT		7.5 MT		6.8 MT		
Boom Type	Reach HD		Reach HD	ME	Reach		ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.20 m HD (10'6")	2.55 m (8'4")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓		✓	✓	
P232 Secondary Pulverizer	✓*		✓*	✓	✓*		✓*
P324 Primary Pulverizer	✓	✓	✓		✓	✓	
P332 Primary Pulverizer	✓	✓*	✓	✓	✓		✓
P332 Primary Pulverizer – Flat Top	✓*		✓*	✓*	✓*		

Cat Pin Grabber Coupler Attachments

Undercarriage	L			
Counterweight	7.5 MT			
Boom Type	Reach			Reach HD
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓		
P324 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*	✓*
P332 Primary Pulverizer – Flat Top	✓	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	LN					
Counterweight	7.5 MT					
Boom Type	Reach			Reach HD		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*	
P232 Secondary Pulverizer	✓*					
P324 Primary Pulverizer	✓	✓	✓	✓	✓*	
P332 Primary Pulverizer	✓	✓*		✓*		✓*
P332 Primary Pulverizer – Flat Top	✓*					

CW-45s Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	6.8 MT		7.5 MT			
Boom Type	Reach HD	ME	Reach			Reach HD
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓		✓	✓	✓	✓
P232 Secondary Pulverizer	✓*	✓	✓	✓		✓
P324 Primary Pulverizer	✓		✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓	✓	✓	✓*	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	L		LN				
Counterweight	7.5 MT						
Boom Type	ME	Reach			Reach HD		ME
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer		✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓*		✓*		✓
P324 Primary Pulverizer		✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓		✓		✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*		✓*		✓

CW-45 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	6.8 MT			7.5 MT		
Boom Type	Reach HD		ME	Reach		
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓		✓	✓	✓
P232 Secondary Pulverizer	✓*	✓*	✓	✓	✓	
P324 Primary Pulverizer	✓	✓		✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓*	✓	✓	✓	

CW-45 Dedicated Coupler Attachments

Undercarriage	L			LN				
Counterweight	7.5 MT							
Boom Type	Reach HD	ME	Reach			Reach HD		ME
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓		✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓	✓*				✓
P324 Primary Pulverizer	✓		✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓		✓*		✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓*				✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.8 MT				7.5 MT		
Boom Type	Reach HD		Reach				
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	✓		✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓		✓	✓	✓*

S80 Dedicated Coupler Attachments

Undercarriage	L		LN				
Counterweight	7.5 MT						
Boom Type	Reach HD		Reach			Reach HD	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓*		✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓	✓*		✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.8 MT				7.5 MT		
Boom Type	Reach HD		Reach				
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*	✓*	✓*		✓	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*		✓*		✓	✓	

HCS80 Dedicated Coupler Attachments

Undercarriage	L		LN				
Counterweight	7.5 MT						
Boom Type	Reach HD		Reach			Reach HD	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓*			
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓*	✓*			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

336 (Build: 08)

Pin-on Attachments

Undercarriage	L			LW		
Counterweight	6.8 MT					
Boom Type	Reach HD			Reach		
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓		✓	✓	✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓	✓*

Pin-on Attachments

Undercarriage	LW							
Counterweight	6.8 MT				7.5 MT			
Boom Type	Reach HD			ME	Reach			Reach HD
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")
P224 Secondary Pulverizer	✓	✓	✓		✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓		✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓		✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*		✓	✓	✓	✓

Pin-on Attachments

Undercarriage	LW			L				
Counterweight	7.5 MT			6.8 MT				7.5 MT
Boom Type	Reach HD		ME	Reach			ME	Reach
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")
P224 Secondary Pulverizer	✓	✓		✓	✓	✓		✓
P232 Secondary Pulverizer	✓	✓	✓	✓	✓		✓	✓
P324 Primary Pulverizer	✓	✓		✓	✓	✓		✓
P332 Primary Pulverizer	✓	✓		✓	✓	✓		✓
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓			✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

Pin-on Attachments

Undercarriage	L			LN				
Counterweight	7.5 MT			6.8 MT				7.5 MT
Boom Type	Reach		ME	Reach			ME	Reach
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")
P224 Secondary Pulverizer	✓	✓		✓	✓	✓		✓
P232 Secondary Pulverizer	✓	✓	✓	✓	✓*		✓	✓
P324 Primary Pulverizer	✓	✓		✓	✓	✓		✓
P332 Primary Pulverizer	✓	✓		✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓*			✓

Pin-on Attachments

Undercarriage	LN			LW
Counterweight	7.5 MT			6.8 MT
Boom Type	Reach		ME	Reach
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")
P224 Secondary Pulverizer	✓	✓		✓
P232 Secondary Pulverizer	✓		✓	✓
P324 Primary Pulverizer	✓	✓		✓
P332 Primary Pulverizer	✓	✓*		✓
P332 Primary Pulverizer – Flat Top	✓			✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				LW			
Counterweight	6.8 MT			7.5 MT	6.8 MT			
Boom Type	Reach HD			ME	Reach			Reach HD
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")
P224 Secondary Pulverizer	✓	✓	✓*		✓	✓	✓	✓
P232 Secondary Pulverizer				✓*	✓*	✓*		✓*
P324 Primary Pulverizer	✓	✓	✓*		✓	✓	✓	✓
P332 Primary Pulverizer	✓*				✓	✓		✓
P332 Primary Pulverizer – Flat Top					✓*	✓*		✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	LW							
Counterweight	6.8 MT			7.5 MT				
Boom Type	Reach HD		ME	Reach			Reach HD	
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")
P224 Secondary Pulverizer	✓	✓		✓	✓	✓	✓	✓
P232 Secondary Pulverizer			✓*	✓	✓		✓	✓*
P324 Primary Pulverizer	✓	✓		✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓*			✓	✓	✓*	✓	✓
P332 Primary Pulverizer – Flat Top				✓	✓		✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	LW		L					
Counterweight	7.5 MT		6.8 MT			7.5 MT		
Boom Type	Reach HD	ME	Reach					
Stick Length	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓		✓	✓	✓*	✓	✓	✓
P232 Secondary Pulverizer		✓	✓*			✓	✓*	
P324 Primary Pulverizer	✓		✓	✓	✓*	✓	✓	✓
P332 Primary Pulverizer	✓*		✓	✓*		✓	✓	
P332 Primary Pulverizer – Flat Top			✓*			✓	✓*	

Cat Pin Grabber Coupler Attachments

Undercarriage	LN				
Counterweight	6.8 MT		7.5 MT		
Boom Type	Reach				
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer					
P324 Primary Pulverizer	✓	✓	✓	✓	✓*
P332 Primary Pulverizer			✓*	✓*	
P332 Primary Pulverizer – Flat Top					

CW-45s Dedicated Coupler Attachments

Undercarriage	L	LW						
Counterweight	7.5 MT	6.8 MT						
Boom Type	ME	Reach			Reach HD			ME
Stick Length	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer		✓	✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓	✓*		✓	✓*		✓
P324 Primary Pulverizer		✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer		✓	✓	✓*	✓	✓		
P332 Primary Pulverizer – Flat Top		✓	✓*		✓	✓*		

CW-45s Dedicated Coupler Attachments

Undercarriage	LW						
Counterweight	7.5 MT						
Boom Type	Reach			Reach HD			ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	
P232 Secondary Pulverizer	✓	✓		✓	✓		✓
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	✓		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	6.8 MT				7.5 MT		
Boom Type	Reach			ME	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓		✓	✓	✓
P232 Secondary Pulverizer	✓*			✓	✓	✓	
P324 Primary Pulverizer	✓	✓	✓		✓	✓	✓
P332 Primary Pulverizer	✓	✓			✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓*				✓	✓	

CW-45s Dedicated Coupler Attachments

Undercarriage	LN						
Counterweight	6.8 MT				7.5 MT		
Boom Type	Reach						ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	
P232 Secondary Pulverizer				✓*			✓*
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓	
P332 Primary Pulverizer	✓*			✓	✓*		
P332 Primary Pulverizer – Flat Top				✓*			

CW-45 Dedicated Coupler Attachments

Undercarriage	L					LW		
Counterweight	6.8 MT				7.5 MT	6.8 MT		
Boom Type	Reach HD			ME		Reach		
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓*			✓	✓	✓
P232 Secondary Pulverizer				✓*	✓	✓	✓*	
P324 Primary Pulverizer	✓	✓	✓*			✓	✓	✓
P332 Primary Pulverizer	✓	✓*				✓	✓	
P332 Primary Pulverizer – Flat Top						✓	✓*	

CW-45 Dedicated Coupler Attachments

Undercarriage	LW							
Counterweight	6.8 MT				7.5 MT			
Boom Type	Reach HD			ME	Reach			Reach HD
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")
P224 Secondary Pulverizer	✓	✓	✓		✓	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*		✓	✓	✓		✓
P324 Primary Pulverizer	✓	✓	✓		✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓			✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*			✓	✓		✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	LW			L		
Counterweight	7.5 MT			6.8 MT		
Boom Type	Reach HD		ME	Reach		
Stick Length	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓		✓	✓	✓
P232 Secondary Pulverizer	✓		✓	✓*		
P324 Primary Pulverizer	✓	✓		✓	✓	✓
P332 Primary Pulverizer	✓	✓*		✓	✓*	
P332 Primary Pulverizer – Flat Top	✓			✓*		

CW-45 Dedicated Coupler Attachments

Undercarriage	L		
Counterweight	7.5 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓
P232 Secondary Pulverizer	✓	✓*	
P324 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓	✓*	

CW-45 Dedicated Coupler Attachments

Undercarriage	LN					
Counterweight	6.8 MT		7.5 MT			
Boom Type	Reach					ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*	
P232 Secondary Pulverizer			✓*			✓*
P324 Primary Pulverizer	✓	✓	✓	✓	✓*	
P332 Primary Pulverizer	✓*		✓	✓*		
P332 Primary Pulverizer – Flat Top			✓*			

S80 Dedicated Coupler Attachments

Undercarriage	L			LW			L	
Counterweight	6.8 MT							
Boom Type	Reach HD						Reach	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m (9'2")	3.20 m (10'6")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*			✓	✓*		✓*	
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*			✓	✓*		✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	L			LN			
Counterweight	6.8 MT	7.5 MT		6.8 MT			
Boom Type	Reach						
Stick Length	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P232 Secondary Pulverizer		✓	✓				
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P332 Primary Pulverizer – Flat Top		✓	✓				

S80 Dedicated Coupler Attachments

Undercarriage	LN			LW		
Counterweight	7.5 MT			6.8 MT		
Boom Type	Reach					
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P232 Secondary Pulverizer	✓*			✓	✓	
P324 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*			✓	✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	L			LW		
Counterweight	6.8 MT					
Boom Type	Reach HD					
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓
P232 Secondary Pulverizer				✓*	✓*	
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓
P332 Primary Pulverizer – Flat Top				✓*	✓*	

HCS80 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	6.8 MT			7.5 MT		
Boom Type	Reach					
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓
P232 Secondary Pulverizer	✓*			✓	✓*	
P324 Primary Pulverizer	✓	✓	✓*	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*			✓	✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	LN					LW		
Counterweight	6.8 MT		7.5 MT			6.8 MT		
Boom Type	Reach							
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P224 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓	✓
P232 Secondary Pulverizer			✓*			✓	✓*	
P324 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓	✓
P332 Primary Pulverizer – Flat Top			✓*			✓	✓*	

340D2

Pin-on Attachments

Undercarriage	L					
Counterweight	–			8.5 MT		
Boom Type	Reach HD	ME		Reach HD	ME	
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L					
Counterweight	–			8.5 MT		
Boom Type	Reach HD	ME		Reach HD	ME	
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓

CW-45s Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	–			8.5 MT		
Boom Type	Reach HD	ME		Reach HD	ME	
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match * Working Range Front Only No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	–			8.5 MT		
Boom Type	Reach HD	ME		Reach HD	ME	
Stick Length	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")	3.20 m HD (10'6")	2.55 m (8'4")	2.15 m (7'1")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓

340F

Pin-on Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

CW-45s Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match * Working Range Front Only No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

S80 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

HCS80 Dedicated Coupler Attachments

Undercarriage	L	
Counterweight	7.0 MT	
Boom Type	Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

340F UHD

Pin-on Attachments

Undercarriage	L-FIX						
Counterweight	8.45 MT						
Boom Type	Retrofit (B)			Retrofit (S)			UHD (22 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	UHD (22 m)
P232 Secondary Pulverizer	✓	✓	✓	✓	✓		
P318 Primary Pulverizer							✓
P324 Primary Pulverizer							✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓*		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L-VG							
Counterweight	8.45 MT							
Boom Type	Retrofit (B)			Retrofit (S)			UHD (22 m)	UHD (25 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	UHD (22 m)	UHD (25 m)
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓		
P318 Primary Pulverizer							✓	✓
P324 Primary Pulverizer							✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	L-FIX			
Counterweight	8.45 MT			
Boom Type	Retrofit (B)			Retrofit (S)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")
P232 Secondary Pulverizer	✓	✓		
P332 Primary Pulverizer	✓	✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG					
Counterweight	8.45 MT					
Boom Type	Retrofit (B)			Retrofit (S)		
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")
P232 Secondary Pulverizer	✓	✓				
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓				

CW-40 Dedicated Coupler Attachments

Undercarriage	L-FIX	L-VG	
Counterweight	8.45 MT		
Boom Type	UHD (22 m)	UHD (22 m)	UHD (25 m)
Stick Length	UHD (22 m)	UHD (22 m)	UHD (25 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	L-FIX					
Counterweight	8.45 MT					
Boom Type	Retrofit (B)			Retrofit (S)		UHD (22 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	UHD (22 m)
P232 Secondary Pulverizer	✓	✓				
P318 Primary Pulverizer						✓
P324 Primary Pulverizer						✓
P332 Primary Pulverizer	✓	✓	✓	✓*	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓	✓*			

CW-45s Dedicated Coupler Attachments

Undercarriage	L-VG							
Counterweight	8.45 MT							
Boom Type	Retrofit (B)			Retrofit (S)			UHD (22 m)	UHD (25 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	UHD (22 m)	UHD (25 m)
P232 Secondary Pulverizer	✓	✓						
P318 Primary Pulverizer							✓	✓
P324 Primary Pulverizer							✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓			

CW-45 Dedicated Coupler Attachments

Undercarriage	L-FIX					
Counterweight	8.45 MT					
Boom Type	Retrofit (B)			Retrofit (S)		UHD (22 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	UHD (22 m)
P232 Secondary Pulverizer	✓	✓				
P318 Primary Pulverizer						✓
P324 Primary Pulverizer						✓
P332 Primary Pulverizer	✓	✓	✓	✓*	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓				

CW-45 Dedicated Coupler Attachments

Undercarriage	L-VG							
Counterweight	8.45 MT							
Boom Type	Retrofit (B)			Retrofit (S)			UHD (22 m)	UHD (25 m)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	UHD (22 m)	UHD (25 m)
P232 Secondary Pulverizer	✓	✓						
P318 Primary Pulverizer							✓	✓
P324 Primary Pulverizer							✓	
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓						

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match * Working Range Front Only No Match

S80 Dedicated Coupler Attachments

Undercarriage	L-FIX			L-VG			
Counterweight	8.45 MT						
Boom Type	Retrofit (B)						Retrofit (S)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓		✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	✓	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	L-FIX	L-VG	
Counterweight	8.45 MT		
Boom Type	UHD (22 m)	UHD (22 m)	UHD (25 m)
Stick Length	UHD (22 m)	UHD (22 m)	UHD (25 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	

HCS70/55 Dedicated Coupler Attachments

Undercarriage	L-FIX	L-VG	
Counterweight	8.45 MT		
Boom Type	UHD (22 m)	UHD (22 m)	UHD (25 m)
Stick Length	UHD (22 m)	UHD (22 m)	UHD (25 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	

HCS80 Dedicated Coupler Attachments

Undercarriage	L-FIX		L-VG		
Counterweight	8.45 MT				
Boom Type	Retrofit (B)				Retrofit (S)
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓

340 UHD

Pin-on Attachments

Undercarriage	H-VG							L
Counterweight	9.0 MT							
Boom Type	Retrofit (B)		Retrofit (S)		UHD (22 m)	UHD (25 m)	2 Pc Boom	Retrofit (B)
Stick Length	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")	3.90 m (12'10")	UHD (22 m)	UHD (25 m)	3.20 m (10'6")	2.80 m (9'2")
P232 Secondary Pulverizer	✓	✓	✓	✓			✓	✓
P318 Primary Pulverizer					✓	✓		
P324 Primary Pulverizer					✓	✓		
P332 Primary Pulverizer	✓	✓	✓	✓	✓		✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L					H-VG
Counterweight	9.0 MT					
Boom Type	Retrofit (B)		Retrofit (S)		2 Pc Boom	Retrofit (B)
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓	✓	✓*		✓
P318 Primary Pulverizer						
P324 Primary Pulverizer						
P332 Primary Pulverizer	✓	✓	✓	✓	✓*	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓*		✓

Pin-on Attachments

Undercarriage	H-VG	L-FIX
Counterweight	9.0 MT	
Boom Type	Retrofit (S)	UHD (22 m)
Stick Length	2.80 m (9'2")	UHD (22 m)
P232 Secondary Pulverizer	✓	
P318 Primary Pulverizer		✓
P324 Primary Pulverizer		✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	H-VG				
Counterweight	9.0 MT				
Boom Type	Retrofit (B)		Retrofit (S)		2 Pc Boom
Stick Length	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")
P232 Secondary Pulverizer	✓		✓		✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓		✓		✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	9.0 MT				
Boom Type	Retrofit (B)			Retrofit (S)	2 Pc Boom
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓			✓
P332 Primary Pulverizer	✓	✓	✓*	✓*	✓
P332 Primary Pulverizer – Flat Top	✓	✓			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	H-VG	
Counterweight	9.0 MT	
Boom Type	Retrofit (B)	Retrofit (S)
Stick Length	2.80 m (9'2")	2.80 m (9'2")
P232 Secondary Pulverizer	✓	
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	H-VG		L-FIX
Counterweight	9.0 MT		
Boom Type	UHD (22 m)	UHD (25 m)	UHD (22 m)
Stick Length	UHD (22 m)	UHD (25 m)	UHD (22 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓	✓	✓

CW-45s Dedicated Coupler Attachments

Undercarriage	H-VG						
Counterweight	9.0 MT						
Boom Type	Retrofit (B)		Retrofit (S)		UHD (22 m)	UHD (25 m)	2 Pc Boom
Stick Length	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")	3.90 m (12'10")	UHD (22 m)	UHD (25 m)	3.20 m (10'6")
P232 Secondary Pulverizer	✓		✓				✓
P318 Primary Pulverizer					✓	✓	
P324 Primary Pulverizer					✓		
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓

CW-45s Dedicated Coupler Attachments

Undercarriage	L						H-VG
Counterweight	9.0 MT						
Boom Type	Retrofit (B)			Retrofit (S)		2 Pc Boom	Retrofit (B)
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.20 m (10'6")	2.80 m (9'2")
P232 Secondary Pulverizer	✓	✓		✓*		✓	✓
P318 Primary Pulverizer							
P324 Primary Pulverizer							
P332 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*				✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	H-VG	L-FIX
Counterweight	9.0 MT	
Boom Type	Retrofit (S)	UHD (22 m)
Stick Length	2.80 m (9'2")	UHD (22 m)
P232 Secondary Pulverizer	✓	
P318 Primary Pulverizer		✓
P324 Primary Pulverizer		✓
P332 Primary Pulverizer	✓	
P332 Primary Pulverizer – Flat Top	✓	

CW-45 Dedicated Coupler Attachments

Undercarriage	H-VG						
Counterweight	9.0 MT						
Boom Type	Retrofit (B)		Retrofit (S)		UHD (22 m)	UHD (25 m)	2 Pc Boom
Stick Length	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")	3.90 m (12'10")	UHD (22 m)	UHD (25 m)	3.20 m (10'6")
P232 Secondary Pulverizer	✓						✓
P318 Primary Pulverizer					✓	✓	
P324 Primary Pulverizer					✓		
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓						✓

CW-45 Dedicated Coupler Attachments

Undercarriage	L						H-VG
Counterweight	9.0 MT						
Boom Type	Retrofit (B)			Retrofit (S)		2 Pc Boom	Retrofit (B)
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.20 m (10'6")	2.80 m (9'2")
P232 Secondary Pulverizer	✓	✓				✓	✓
P318 Primary Pulverizer							
P324 Primary Pulverizer							
P332 Primary Pulverizer	✓	✓	✓	✓*	✓*	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓					✓

CW-45 Dedicated Coupler Attachments

Undercarriage	H-VG	L-FIX
Counterweight	9.0 MT	
Boom Type	Retrofit (S)	UHD (22 m)
Stick Length	2.80 m (9'2")	UHD (22 m)
P232 Secondary Pulverizer		
P318 Primary Pulverizer		✓
P324 Primary Pulverizer		✓
P332 Primary Pulverizer	✓	
P332 Primary Pulverizer – Flat Top		

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCCW-40 Dedicated Coupler Attachments

Undercarriage	H-VG		L-FIX
Counterweight	9.0 MT		
Boom Type	UHD (22 m)	UHD (25 m)	UHD (22 m)
Stick Length	UHD (22 m)	UHD (25 m)	UHD (22 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓		✓

S80 Dedicated Coupler Attachments

Undercarriage	L				
Counterweight	9.0 MT				
Boom Type	Retrofit (B)			Retrofit (S)	2 Pc Boom
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓	✓*	✓*	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*		

S80 Dedicated Coupler Attachments

Undercarriage	H-VG						
Counterweight	9.0 MT						
Boom Type	Retrofit (B)			Retrofit (S)			2 Pc Boom
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓		✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓	

HCS70 Dedicated Coupler Attachments

Undercarriage	H-VG		L-FIX
Counterweight	9.0 MT		
Boom Type	UHD (22 m)	UHD (25 m)	UHD (22 m)
Stick Length	UHD (22 m)	UHD (25 m)	UHD (22 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓		✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	H-VG		L-FIX
Counterweight	9.0 MT		
Boom Type	UHD (22 m)	UHD (25 m)	UHD (22 m)
Stick Length	UHD (22 m)	UHD (25 m)	UHD (22 m)
P318 Primary Pulverizer	✓	✓	✓
P324 Primary Pulverizer	✓		✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	L			H-VG				
Counterweight	9.0 MT							
Boom Type	Retrofit (B)		2 Pc Boom	Retrofit (B)		Retrofit (S)		2 Pc Boom
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓	✓	✓

340 (Build: 07)

Pin-on Attachments

Undercarriage	LN		HD High Wide				L	
Counterweight	9.0 MT		7.5 MT				9.0 MT	
Boom Type	Straight		Reach		ME	Straight		
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓*	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	LN		HD High Wide			L	
Counterweight	9.0 MT		7.5 MT			9.0 MT	
Boom Type	Straight		Reach		ME	Straight	
Stick Length	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer		✓	✓		✓		
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*
P332 Primary Pulverizer – Flat Top	✓*	✓	✓		✓	✓	

CW-45s Dedicated Coupler Attachments

Undercarriage	LN		HD High Wide			L		
Counterweight	9.0 MT		7.5 MT			9.0 MT		
Boom Type	Straight		Reach		ME	Straight		
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓*		✓	✓		✓	✓	
P332 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*		✓	✓	✓	✓	✓	

CW-45 Dedicated Coupler Attachments

Undercarriage	LN		HD High Wide			L		
Counterweight	9.0 MT		7.5 MT			9.0 MT		
Boom Type	Straight		Reach		ME	Straight		
Stick Length	3.20 m (10'6")	3.90 m (12'10")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer			✓	✓		✓		
P332 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top			✓	✓		✓		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S80 Dedicated Coupler Attachments

Undercarriage	LN	HD High Wide			L
Counterweight	9.0 MT	7.5 MT			9.0 MT
Boom Type	Straight	Reach			Straight
Stick Length	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	3.20 m (10'6")
P232 Secondary Pulverizer	✓*	✓	✓		✓
P332 Primary Pulverizer – Flat Top	✓*	✓	✓	✓	✓

HCS80 Dedicated Coupler Attachments

Undercarriage	LN	HD High Wide		L
Counterweight	9.0 MT	7.5 MT		9.0 MT
Boom Type	Straight	Reach		Straight
Stick Length	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.20 m (10'6")
P232 Secondary Pulverizer	✓*	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓*	✓	✓	✓

340 (Build: 08)

Pin-on Attachments

Undercarriage	LW						
Counterweight	7.5 MT						
Boom Type	Reach HD			Reach HD+			ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD+ (9'2")	3.20 m HD+ (10'6")	3.90 m HD+ (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓	✓	

Pin-on Attachments

Undercarriage	LN						
Counterweight	7.5 MT						
Boom Type	Reach			Reach HD			ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓*	✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓	✓	✓*	

Pin-on Attachments

Undercarriage	LW			
Counterweight	6.8 MT			
Boom Type	Reach			ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match Working Range Front Only No Match

Pin-on Attachments

Undercarriage	LW		
Counterweight	7.5 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	LW						
Counterweight	7.5 MT						
Boom Type	Reach HD			Reach HD+			ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD+ (9'2")	3.20 m HD+ (10'6")	3.90 m HD+ (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓		✓	✓		✓
P332 Primary Pulverizer	✓	✓	✓*	✓	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	LN				LW		
Counterweight	7.5 MT				6.8 MT		
Boom Type	Reach		Reach HD		Reach		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m HD (9'2")	3.20 m HD (10'6")	2.80 m (9'2")	3.20 m (10'6")	2.55 m (8'4")
P232 Secondary Pulverizer	✓*		✓*		✓	✓*	✓*
P332 Primary Pulverizer	✓	✓*	✓	✓*	✓	✓	
P332 Primary Pulverizer – Flat Top	✓*		✓*		✓	✓*	

Cat Pin Grabber Coupler Attachments

Undercarriage	LW		
Counterweight	7.5 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	LW						
Counterweight	7.5 MT						
Boom Type	Reach HD			Reach HD+			ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD+ (9'2")	3.20 m HD+ (10'6")	3.90 m HD+ (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓		✓	✓		✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓		

CW-45s Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	7.5 MT				
Boom Type	Reach		Reach HD		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m HD (9'2")	3.20 m HD (10'6")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓*	✓	✓*	✓
P332 Primary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓*	✓	✓*	

CW-45s Dedicated Coupler Attachments

Undercarriage	LW		
Counterweight	7.5 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*

CW-45 Dedicated Coupler Attachments

Undercarriage	LW						
Counterweight	7.5 MT						
Boom Type	Reach HD			Reach HD+			ME
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	3.90 m HD (12'10")	2.80 m HD+ (9'2")	3.20 m HD+ (10'6")	3.90 m HD+ (12'10")	2.55 m (8'4")
P232 Secondary Pulverizer	✓	✓		✓	✓		✓
P332 Primary Pulverizer	✓	✓	✓	✓	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓		✓	✓		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-45 Dedicated Coupler Attachments

Undercarriage	LN				
Counterweight	7.5 MT				
Boom Type	Reach		Reach HD		ME
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m HD (9'2")	3.20 m HD (10'6")	2.55 m (8'4")
P232 Secondary Pulverizer	✓*	✓*	✓*	✓*	✓
P332 Primary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓*		✓*		

CW-45 Dedicated Coupler Attachments

Undercarriage	LW		
Counterweight	7.5 MT		
Boom Type	Reach		
Stick Length	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	

S80 Dedicated Coupler Attachments

Undercarriage	LW		LN			
Counterweight	7.5 MT					
Boom Type	Reach HD		Reach		Reach HD	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.80 m (9'2")	3.20 m (10'6")	2.80 m HD (9'2")	3.20 m HD (10'6")
P232 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓*	✓	✓*

S80 Dedicated Coupler Attachments

Undercarriage	LW				
Counterweight	6.8 MT		7.5 MT		
Boom Type	Reach				
Stick Length	2.80 m (9'2")	3.20 m (10'6")	2.80 m (9'2")	3.20 m (10'6")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓*

HCS80 Dedicated Coupler Attachments

Undercarriage	LW		LN		LW	
Counterweight	7.5 MT					6.8 MT
Boom Type	Reach HD		Reach	Reach HD	Reach	
Stick Length	2.80 m HD (9'2")	3.20 m HD (10'6")	2.80 m (9'2")	2.80 m HD (9'2")	2.80 m (9'2")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓	✓*	✓*	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*	✓*	✓	✓

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS80 Dedicated Coupler Attachments

Undercarriage	LW	
Counterweight	7.5 MT	
Boom Type	Reach	
Stick Length	2.80 m (9'2")	3.20 m (10'6")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

345 GC

Pin-on Attachments

Undercarriage	–			
Counterweight	9.0 MT			
Boom Type	Reach HD		ME	
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓	✓*	
P332 Primary Pulverizer	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓		
P345 Primary Pulverizer	✓	✓*	✓	✓*
P345 Primary Pulverizer – Flat Top	✓*		✓*	

CW-55 Dedicated Coupler Attachments

Undercarriage	–	
Counterweight	9.0 MT	
Boom Type	Reach HD	
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")
P232 Secondary Pulverizer	✓	✓
P332 Primary Pulverizer	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓

349D2

Pin-on Attachments

Undercarriage	–	L-FIX		
Counterweight	–			
Boom Type	Reach HD			
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	3.90 m HD (12'10")	3.35 m HD (11'0")
P232 Secondary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	–		L-FIX	
Counterweight	–			
Boom Type	Reach HD			
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	3.90 m HD (12'10")	3.35 m HD (11'0")
P232 Secondary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓

CW-55 Dedicated Coupler Attachments

Undercarriage	–		L-FIX	
Counterweight	–			
Boom Type	Reach HD			
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	3.90 m HD (12'10")	3.35 m HD (11'0")
P232 Secondary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓

349F

Pin-on Attachments

Undercarriage	L-FIX					
Counterweight	–					
Boom Type	Reach HD		Long Reach	ME		Long Reach
Stick Length	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓			✓
P245 Secondary Pulverizer	✓*	✓		✓	✓	
P332 Primary Pulverizer	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓			✓
P345 Primary Pulverizer	✓	✓		✓	✓	
P345 Primary Pulverizer – Flat Top	✓*	✓		✓	✓	
P365 Primary Pulverizer				✓*		

Cat Pin Grabber Coupler Attachments

Undercarriage	L-FIX					
Counterweight	–					
Boom Type	Reach HD		Long Reach	ME		Long Reach
Stick Length	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓*			✓*
P245 Secondary Pulverizer				✓*		
P332 Primary Pulverizer	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*			✓*
P345 Primary Pulverizer		✓*		✓	✓*	
P345 Primary Pulverizer – Flat Top				✓*		

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

349F XE

Pin-on Attachments

Undercarriage	L-FIX					
Counterweight	-					
Boom Type	Reach HD		Long Reach	ME		Long Reach
Stick Length	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓			✓
P245 Secondary Pulverizer	✓*	✓		✓	✓	
P332 Primary Pulverizer	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓			✓
P345 Primary Pulverizer	✓	✓		✓	✓	
P345 Primary Pulverizer – Flat Top	✓*	✓		✓	✓	
P365 Primary Pulverizer				✓*		

Cat Pin Grabber Coupler Attachments

Undercarriage	L-FIX					
Counterweight	-					
Boom Type	Reach HD		Long Reach	ME		Long Reach
Stick Length	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓*			✓*
P245 Secondary Pulverizer				✓*		
P332 Primary Pulverizer	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓*			✓*
P345 Primary Pulverizer		✓*		✓	✓*	
P345 Primary Pulverizer – Flat Top				✓*		

349

Pin-on Attachments

Undercarriage	L		
Counterweight	9.0 MT		
Boom Type	Reach HD		Long Reach
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓
P245 Secondary Pulverizer	✓*	✓	
P332 Primary Pulverizer	✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓
P345 Primary Pulverizer	✓	✓	
P345 Primary Pulverizer – Flat Top	✓*	✓	
P365 Primary Pulverizer			

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L						
Counterweight	9.0 MT			8.6 MT (Removal)			
Boom Type	ME		Reach HD		Long Reach	ME	
Stick Length	2.50 m (8'2")	3.00 m (9'10")	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer			✓	✓	✓		
P245 Secondary Pulverizer	✓	✓	✓*	✓		✓	✓
P332 Primary Pulverizer			✓	✓	✓		
P332 Primary Pulverizer – Flat Top			✓	✓	✓		
P345 Primary Pulverizer	✓	✓	✓	✓		✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓	✓*	✓		✓	✓
P365 Primary Pulverizer	✓*					✓*	

Cat Pin Grabber Coupler Attachments

Undercarriage	L							
Counterweight	9.0 MT				8.6 MT (Removal)			
Boom Type	Reach HD		Long Reach	ME	Reach HD		Long Reach	ME
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")
P232 Secondary Pulverizer	✓	✓			✓	✓		
P332 Primary Pulverizer	✓	✓	✓*		✓	✓	✓*	
P332 Primary Pulverizer – Flat Top	✓	✓			✓	✓		
P345 Primary Pulverizer	✓*			✓*				✓*

CW-55 Dedicated Coupler Attachments

Undercarriage	L			
Counterweight	9.0 MT			
Boom Type	Reach HD		ME	
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓		
P245 Secondary Pulverizer			✓*	
P332 Primary Pulverizer	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓		
P345 Primary Pulverizer	✓	✓*	✓	✓*
P345 Primary Pulverizer – Flat Top			✓*	

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

350

Pin-on Attachments

Undercarriage	L				
Counterweight	9.0 MT				
Boom Type	Reach			ME	
Stick Length	2.90 m HD (9'6")	3.35 m (11'0")	3.90 m (12'10")	2.50 m HD (8'2")	3.00 m HD (9'10")
P232 Secondary Pulverizer	✓	✓	✓		
P332 Primary Pulverizer	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓		
P345 Primary Pulverizer	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	L	
Counterweight	9.0 MT	
Boom Type	Reach	ME
Stick Length	2.90 m (9'6")	2.50 m (8'2")
P232 Secondary Pulverizer	✓	
P332 Primary Pulverizer	✓	
P332 Primary Pulverizer – Flat Top	✓	
P345 Primary Pulverizer	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	L				
Counterweight	9.0 MT				
Boom Type	Reach			ME	
Stick Length	2.90 m HD (9'6")	3.35 m (11'0")	3.90 m (12'10")	2.90 m (9'6")	2.50 m (8'2")
P232 Secondary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓	
P345 Primary Pulverizer					✓*

CW-55 Dedicated Coupler Attachments

Undercarriage	L						
Counterweight	9.0 MT						
Boom Type	Reach			ME	Reach	ME	
Stick Length	2.90 m HD (9'6")	3.35 m (11'0")	3.90 m (12'10")	2.50 m HD (8'2")	2.90 m (9'6")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓	✓		✓		
P332 Primary Pulverizer	✓	✓	✓		✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓		✓		
P345 Primary Pulverizer	✓*			✓	✓*	✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

352F

Pin-on Attachments

Undercarriage	L-VG						
Counterweight	-						
Boom Type	Reach HD			Long Reach	ME		Long Reach
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓	✓			✓
P245 Secondary Pulverizer	✓	✓	✓		✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓
P345 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P345 Primary Pulverizer – Flat Top	✓	✓	✓	✓*	✓	✓	
P365 Primary Pulverizer					✓	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG						
Counterweight	-						
Boom Type	Reach HD			Long Reach	ME		Long Reach
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓	✓			✓
P245 Secondary Pulverizer	✓				✓		
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓
P345 Primary Pulverizer	✓		✓		✓	✓	
P345 Primary Pulverizer – Flat Top	✓				✓	✓*	

CW-55 Dedicated Coupler Attachments

Undercarriage	L-VG			
Counterweight	-			
Boom Type	Reach HD		ME	
Stick Length	2.90 m HD (9'6")	3.40 m HD (11'2")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓		
P245 Secondary Pulverizer	✓		✓	✓
P332 Primary Pulverizer	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓		
P345 Primary Pulverizer	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓		✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

352F XE

Pin-on Attachments

Undercarriage	L-VG						
Counterweight	-						
Boom Type	Reach HD			Long Reach	ME		Long Reach
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓	✓			✓
P245 Secondary Pulverizer	✓	✓	✓		✓	✓	
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓
P345 Primary Pulverizer	✓	✓	✓	✓	✓	✓	
P345 Primary Pulverizer – Flat Top	✓	✓	✓	✓*	✓	✓	
P365 Primary Pulverizer					✓	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG						
Counterweight	-						
Boom Type	Reach HD			Long Reach	ME		Long Reach
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.40 m HD (11'2")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")	4.30 m HD (14'1")
P232 Secondary Pulverizer	✓	✓	✓	✓			✓
P245 Secondary Pulverizer	✓				✓		
P332 Primary Pulverizer	✓	✓	✓	✓			✓
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓			✓
P345 Primary Pulverizer	✓		✓		✓	✓	
P345 Primary Pulverizer – Flat Top	✓				✓	✓*	

CW-55 Dedicated Coupler Attachments

Undercarriage	L-VG			
Counterweight	-			
Boom Type	Reach HD		ME	
Stick Length	2.90 m HD (9'6")	3.40 m HD (11'2")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓		
P245 Secondary Pulverizer	✓		✓	✓
P332 Primary Pulverizer	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓		
P345 Primary Pulverizer	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓		✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

352 UHD

Pin-on Attachments

Undercarriage	H-VG				
Counterweight	12.0 MT				
Boom Type	Retrofit (B)		Retrofit (S)		UHD (28 m)
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	3.90 m HD (12'10")	3.35 m HD (11'0")	UHD (28 m)
P245 Secondary Pulverizer		✓			
P318 Primary Pulverizer					✓
P324 Primary Pulverizer					✓
P332 Primary Pulverizer					✓
P345 Primary Pulverizer	✓	✓	✓	✓	
P345 Primary Pulverizer – Flat Top	✓	✓	✓	✓	
P365 Primary Pulverizer					

Pin-on Attachments

Undercarriage	H-VG	
Counterweight	12.0 MT	
Boom Type	Retrofit (B)	Retrofit (S)
Stick Length	2.90 m HD (9'6")	2.90 m HD (9'6")
P245 Secondary Pulverizer	✓	
P318 Primary Pulverizer		
P324 Primary Pulverizer		
P332 Primary Pulverizer		
P345 Primary Pulverizer	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓
P365 Primary Pulverizer	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	H-VG	
Counterweight	12.0 MT	
Boom Type	Retrofit (B)	Retrofit (S)
Stick Length	2.90 m HD (9'6")	2.90 m HD (9'6")
P345 Primary Pulverizer	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-45s Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

CW-45 Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

CW-55 Dedicated Coupler Attachments

Undercarriage	H-VG			
Counterweight	12.0 MT			
Boom Type	Retrofit (B)		Retrofit (S)	
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")	2.90 m HD (9'6")	3.35 m HD (11'0")
P245 Secondary Pulverizer	✓			
P345 Primary Pulverizer	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓		✓	

HCCW-40 Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS70/55 Dedicated Coupler Attachments

Undercarriage	H-VG
Counterweight	12.0 MT
Boom Type	UHD (28 m)
Stick Length	UHD (28 m)
P318 Primary Pulverizer	✓
P324 Primary Pulverizer	✓

352 (Build: 07)

Pin-on Attachments

Undercarriage	L-VG					
Counterweight	9.0 MT					
Boom Type	Reach HD			Long Reach	ME	
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓	✓	✓		
P245 Secondary Pulverizer	✓	✓	✓		✓	✓
P332 Primary Pulverizer	✓	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓		
P345 Primary Pulverizer	✓	✓	✓	✓*	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓	✓		✓	✓
P365 Primary Pulverizer	✓				✓	✓*

Pin-on Attachments

Undercarriage	L-VG				
Counterweight	8.6 MT (Removal)				
Boom Type	Reach HD		Long Reach	ME	
Stick Length	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer			✓		
P245 Secondary Pulverizer	✓	✓		✓	✓
P332 Primary Pulverizer			✓		
P332 Primary Pulverizer – Flat Top			✓		
P345 Primary Pulverizer	✓	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓		✓	✓
P365 Primary Pulverizer				✓	✓*

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG					
Counterweight	9.0 MT					
Boom Type	Reach HD			Long Reach	ME	
Stick Length	2.90 m HD (9'6")	3.90 m HD (12'10")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓	✓	✓		
P245 Secondary Pulverizer	✓				✓	
P332 Primary Pulverizer	✓	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓	✓		
P345 Primary Pulverizer	✓		✓		✓	✓
P345 Primary Pulverizer – Flat Top	✓				✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG			
Counterweight	8.6 MT (Removal)			
Boom Type	Reach HD	Long Reach	ME	
Stick Length	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer		✓		
P245 Secondary Pulverizer			✓	
P332 Primary Pulverizer		✓		
P332 Primary Pulverizer – Flat Top		✓		
P345 Primary Pulverizer	✓		✓	✓
P345 Primary Pulverizer – Flat Top			✓	✓*

CW-55 Dedicated Coupler Attachments

Undercarriage	L-VG				
Counterweight	9.0 MT				
Boom Type	Reach HD		Long Reach	ME	
Stick Length	2.90 m HD (9'6")	3.35 m HD (11'0")	4.30 m HD (14'1")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓	✓		
P245 Secondary Pulverizer	✓			✓	✓
P332 Primary Pulverizer	✓	✓	✓		
P332 Primary Pulverizer – Flat Top	✓	✓	✓		
P345 Primary Pulverizer	✓	✓		✓	✓
P345 Primary Pulverizer – Flat Top	✓			✓	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match

* Working Range Front Only

No Match

352 (Build: 08)

Pin-on Attachments

Undercarriage	L-VG				
Counterweight	9.8 MT				
Boom Type	Reach	Reach HD	ME HD	ME	
Stick Length	3.35 m (11'0")	3.35 m HD (11'0")	2.50 m HD (8'2")	2.50 m (8'2")	3.00 m (9'10")
P232 Secondary Pulverizer	✓	✓			
P245 Secondary Pulverizer	✓	✓	✓	✓	✓
P332 Primary Pulverizer	✓	✓			
P332 Primary Pulverizer – Flat Top	✓	✓			
P345 Primary Pulverizer	✓	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓	✓	✓	✓
P365 Primary Pulverizer			✓	✓	✓

Pin-on Attachments

Undercarriage	L
Counterweight	9.8 MT
Boom Type	Reach
Stick Length	2.90 m (9'6")
P232 Secondary Pulverizer	✓
P245 Secondary Pulverizer	✓
P332 Primary Pulverizer	✓
P332 Primary Pulverizer – Flat Top	✓
P345 Primary Pulverizer	✓
P345 Primary Pulverizer – Flat Top	✓
P365 Primary Pulverizer	

Pin-on Attachments

Undercarriage	L						L-VG	
Counterweight	12.0 MT		9.8 MT				12.0 MT	
Boom Type	Straight		Reach		Long Reach	ME		Straight
Stick Length	3.35 m (11'0")	3.90 m (12'10")	3.35 m (11'0")	3.90 m (12'10")	4.30 m (14'1")	2.50 m (8'2")	3.00 m (9'10")	3.35 m (11'0")
P232 Secondary Pulverizer			✓	✓	✓			
P245 Secondary Pulverizer			✓	✓*		✓	✓	
P332 Primary Pulverizer			✓	✓	✓			
P332 Primary Pulverizer – Flat Top			✓	✓	✓			
P345 Primary Pulverizer	✓	✓*	✓	✓		✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓*		✓	✓*		✓	✓	✓
P365 Primary Pulverizer						✓*		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L-VG				
Counterweight	12.0 MT	9.8 MT			
Boom Type	Straight	Reach		Long Reach	Reach (Narrow)
Stick Length	3.90 m (12'10")	2.90 m (9'6")	3.90 m (12'10")	4.30 m (14'1")	3.35 m Narrow (11'0")
P232 Secondary Pulverizer		✓	✓	✓	
P245 Secondary Pulverizer		✓	✓		✓
P332 Primary Pulverizer		✓	✓	✓	
P332 Primary Pulverizer – Flat Top		✓	✓	✓	
P345 Primary Pulverizer	✓	✓	✓	✓	✓
P345 Primary Pulverizer – Flat Top	✓	✓	✓	✓*	✓
P365 Primary Pulverizer		✓			

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG				L		
Counterweight	9.8 MT						
Boom Type	Reach HD	ME HD	ME		Reach		
Stick Length	3.35 m HD (11'0")	2.50 m HD (8'2")	2.50 m (8'2")	3.00 m (9'10")	2.90 m (9'6")	3.35 m (11'0")	3.90 m (12'10")
P232 Secondary Pulverizer	✓				✓	✓	✓
P245 Secondary Pulverizer		✓	✓				
P332 Primary Pulverizer	✓				✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓				✓	✓	✓
P345 Primary Pulverizer	✓	✓	✓	✓	✓	✓*	
P345 Primary Pulverizer – Flat Top		✓	✓	✓*	✓*		

Cat Pin Grabber Coupler Attachments

Undercarriage	L		
Counterweight	9.8 MT		
Boom Type	ME		Long Reach
Stick Length	2.50 m (8'2")	3.00 m (9'10")	4.30 m (14'1")
P232 Secondary Pulverizer			✓*
P245 Secondary Pulverizer	✓*		
P332 Primary Pulverizer			✓
P332 Primary Pulverizer – Flat Top			✓*
P345 Primary Pulverizer	✓	✓*	
P345 Primary Pulverizer – Flat Top	✓*		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG					
Counterweight	12.0 MT	9.8 MT				
Boom Type	Straight	Reach			Long Reach	Reach (Narrow)
Stick Length	3.35 m (11'0")	2.90 m (9'6")	3.35 m (11'0")	3.90 m (12'10")	4.30 m (14'1")	3.35 m Narrow (11'0")
P232 Secondary Pulverizer		✓	✓	✓	✓	
P245 Secondary Pulverizer		✓				
P332 Primary Pulverizer		✓	✓	✓	✓	
P332 Primary Pulverizer – Flat Top		✓	✓	✓	✓	
P345 Primary Pulverizer	✓*	✓	✓			✓
P345 Primary Pulverizer – Flat Top		✓				

CW-55 Dedicated Coupler Attachments

Undercarriage	L-VG					L		
Counterweight	9.8 MT							
Boom Type	Reach	Reach HD	ME HD	ME		Reach		
Stick Length	3.35 m (11'0")	3.35 m HD (11'0")	2.50 m HD (8'2")	2.50 m (8'2")	3.00 m (9'10")	2.90 m (9'6")	3.35 m (11'0")	3.90 m (12'10")
P232 Secondary Pulverizer	✓	✓				✓	✓	✓
P245 Secondary Pulverizer			✓	✓	✓	✓*		
P332 Primary Pulverizer	✓	✓				✓	✓	✓
P332 Primary Pulverizer – Flat Top	✓	✓				✓	✓	✓
P345 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	
P345 Primary Pulverizer – Flat Top			✓	✓	✓	✓*		

CW-55 Dedicated Coupler Attachments

Undercarriage	L		L-VG		
Counterweight	9.8 MT		12.0 MT		9.8 MT
Boom Type	ME		Straight		Reach
Stick Length	2.50 m (8'2")	3.00 m (9'10")	3.35 m (11'0")	3.90 m (12'10")	2.90 m (9'6")
P232 Secondary Pulverizer					✓
P245 Secondary Pulverizer	✓	✓*			✓
P332 Primary Pulverizer					✓
P332 Primary Pulverizer – Flat Top					✓
P345 Primary Pulverizer	✓	✓	✓	✓*	✓
P345 Primary Pulverizer – Flat Top	✓	✓*			✓

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

374F

Pin-on Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				ME	
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")	2.57 m (8'5")	3.00 m (9'10")
P245 Secondary Pulverizer	✓	✓	✓	✓		
P365 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓	✓	✓*	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	L			
Counterweight	-			
Boom Type	Reach			
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")
P245 Secondary Pulverizer	✓	✓	✓	✓
P365 Primary Pulverizer	✓	✓	✓*	✓
P365 Primary Pulverizer – Flat Top	✓*	✓		

CW-70 Dedicated Coupler Attachments

Undercarriage	L					
Counterweight	-					
Boom Type	Reach				ME	
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")	2.57 m (8'5")	3.00 m (9'10")
P365 Primary Pulverizer	✓	✓	✓*	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓*	✓			✓	✓

374

Pin-on Attachments

Undercarriage	L-VG					
Counterweight	11.2 MT					
Boom Type	Reach HD				ME	
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")	2.57 m (8'5")	3.00 m (9'10")
P245 Secondary Pulverizer	✓	✓	✓	✓		
P365 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓	✓	✓*	✓		

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	L-VG					
Counterweight	10.0 MT (Removal)					
Boom Type	Reach HD				ME	
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")	2.57 m (8'5")	3.00 m (9'10")
P245 Secondary Pulverizer	✓	✓	✓	✓		
P365 Primary Pulverizer	✓	✓	✓	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓	✓	✓*	✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG							
Counterweight	11.2 MT				10.0 MT (Removal)			
Boom Type	Reach HD							
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")	3.60 m HD (11'10")	2.84 m HD (9'4")	4.67 m HD (15'4")	4.15 m HD (13'7")
P245 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P365 Primary Pulverizer	✓	✓		✓*	✓	✓		✓*
P365 Primary Pulverizer – Flat Top		✓				✓		

CW-70 Dedicated Coupler Attachments

Undercarriage	L-VG		
Counterweight	11.2 MT		
Boom Type	Reach HD		
Stick Length	3.60 m HD (11'10")	2.84 m HD (9'4")	4.15 m HD (13'7")
P365 Primary Pulverizer	✓	✓	✓*
P365 Primary Pulverizer – Flat Top	✓*	✓	

CW-70 Dedicated Coupler Attachments

Undercarriage	L-VG						
Counterweight	11.2 MT		10.0 MT (Removal)				
Boom Type	ME		Reach HD			ME	
Stick Length	2.57 m (8'5")	3.00 m (9'10")	3.60 m HD (11'10")	2.84 m HD (9'4")	4.15 m HD (13'7")	2.57 m (8'5")	3.00 m (9'10")
P365 Primary Pulverizer	✓	✓	✓	✓	✓*	✓	✓
P365 Primary Pulverizer – Flat Top	✓	✓	✓*	✓		✓	✓

Matching – Tracked Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

390F

Pin-on Attachments

Undercarriage	L		
Counterweight	–		
Boom Type	Reach	GP	
Stick Length	4.40 m HD (14'5")	4.40 m HD (14'5")	5.50 m HD (18'1")
P365 Primary Pulverizer	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓*	✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	GP
Stick Length	4.40 m HD (14'5")
P365 Primary Pulverizer	✓

CW-70 Dedicated Coupler Attachments

Undercarriage	L
Counterweight	–
Boom Type	GP
Stick Length	4.40 m HD (14'5")
P365 Primary Pulverizer	✓
P365 Primary Pulverizer – Flat Top	✓

395

Pin-on Attachments

Undercarriage	L-VG							
Counterweight	15.7 MT				15.7 MT (Removal)			
Boom Type	Reach		GP		Reach		GP	
Stick Length	4.40 m HD (14'5")	5.50 m HD (18'1")	4.40 m HD (14'5")	5.50 m HD (18'1")	4.40 m HD (14'5")	5.50 m HD (18'1")	4.40 m HD (14'5")	5.50 m HD (18'1")
P365 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P365 Primary Pulverizer – Flat Top	✓		✓		✓		✓	

Cat Pin Grabber Coupler Attachments

Undercarriage	L-VG			
Counterweight	15.7 MT		15.7 MT (Removal)	
Boom Type	Reach	GP	Reach	GP
Stick Length	4.40 m HD (14'5")	4.40 m HD (14'5")	4.40 m HD (14'5")	4.40 m HD (14'5")
P365 Primary Pulverizer	✓*	✓	✓*	✓

Pulverizer Technical Specifications

Matching – Tracked Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-70 Dedicated Coupler Attachments

Undercarriage	L-VG			
	15.7 MT		15.7 MT (Removal)	
Counterweight				
Boom Type	Reach	GP	Reach	GP
Stick Length	4.40 m HD (14'5")	4.40 m HD (14'5")	4.40 m HD (14'5")	4.40 m HD (14'5")
P365 Primary Pulverizer	✓*	✓	✓*	✓
P365 Primary Pulverizer – Flat Top		✓		✓

Matching – Wheel Excavators

 Match

 * Working Range Front Only

 No Match

M314F

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	2.8 MT				3.3 MT			
Boom Type	1 Pc		1 Pc (short)		1 Pc		1 Pc (short)	
Stick Length	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	2.8 MT				3.3 MT			
Boom Type	1 Pc		1 Pc (short)		1 Pc		1 Pc (short)	
Stick Length	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Rear Blade				
Counterweight	2.8 MT	3.3 MT			
Boom Type	1 Pc (short)	1 Pc		1 Pc (short)	
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.30 m (7'7")	2.00 m (6'7")	2.30 m (7'7")
P214 Secondary Pulverizer	✓*	✓*	✓*	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			
Counterweight	2.8 MT		3.3 MT	
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade
Counterweight	2.8 MT		3.3 MT		
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			
Counterweight	2.8 MT		3.3 MT	
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

CW-20 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade
Counterweight	2.8 MT		3.3 MT		
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			
Counterweight	2.8 MT		3.3 MT	
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade
Counterweight	2.8 MT		3.3 MT		
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			
Counterweight	2.8 MT		3.3 MT	
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade
Counterweight	2.8 MT		3.3 MT		
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	2.8 MT		3.3 MT		2.8 MT		3.3 MT	
Boom Type	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)	1 Pc	1 Pc (short)
Stick Length	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")	2.00 m (6'7")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

M314 (Build: 07)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Rear Blade	
Counterweight	3.3 MT							
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

M314 (Build: 07A)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Rear Blade	
Counterweight	3.1 MT							
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.1 MT		
Boom Type	1 Pc		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

M315F

Pin-on Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Front Outriggers; Rear (radial) blade		Rear (parallel) Blade
Counterweight	3.75 MT						
Boom Type	VA	Offset	VA	Offset	VA	Offset	VA
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Front Outriggers; Rear (radial) blade	
Counterweight	3.75 MT					
Boom Type	VA	Offset	VA	Offset	VA	Offset
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Front Outriggers; Rear (radial) blade	
Counterweight	3.75 MT					
Boom Type	VA	Offset	VA	Offset	VA	Offset
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

M315

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers				Front Outriggers; Rear Blade			
Counterweight	2.6 MT		3.1 MT		2.6 MT		3.1 MT	
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade	
Counterweight	2.6 MT		3.1 MT			
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	2.6 MT	3.1 MT	2.6 MT	3.1 MT	2.6 MT	3.1 MT
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

M316F

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				3.2 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT			3.7 MT				
Boom Type	1 Pc			VA			1 Pc	
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Rear Blade					Front (parallel) Blade; Rear Outriggers		
Counterweight	3.2 MT	3.7 MT			3.2 MT			
Boom Type	1 Pc	VA	1 Pc		VA			
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓*	✓*	✓	✓*	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	1 Pc			VA			1 Pc	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers	Rear (parallel) Blade					
Counterweight	3.7 MT	3.2 MT	3.7 MT				
Boom Type	1 Pc		VA		1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓	✓*	✓	✓*	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers					
Counterweight	3.2 MT			3.7 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front and Rear Outriggers					
Counterweight	3.2 MT			3.7 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers					
Counterweight	3.2 MT			3.7 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				3.2 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT			3.7 MT				
Boom Type	1 Pc			VA			1 Pc	
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Rear Blade	Front (parallel) Blade; Rear Outriggers						
Counterweight	3.7 MT	3.2 MT						3.7 MT
Boom Type	1 Pc	VA			1 Pc			VA
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓	✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers						Rear (parallel) Blade	
Counterweight	3.7 MT							
Boom Type	VA			1 Pc				
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓*	

Pulverizer Technical Specifications

Matching – Wheel Excavators

Match Working Range Front Only No Match

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				3.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Rear Blade	Front (parallel) Blade; Rear Outriggers					
Counterweight	3.7 MT	3.2 MT					
Boom Type	1 Pc	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers							Rear (parallel) Blade
Counterweight	3.7 MT							
Boom Type	VA			1 Pc				
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.2 MT							
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Rear Blade	Front (parallel) Blade; Rear Outriggers						
Counterweight	3.7 MT	3.2 MT						3.7 MT
Boom Type	1 Pc	VA			1 Pc			VA
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers						Rear (parallel) Blade	
Counterweight	3.7 MT							
Boom Type	VA			1 Pc				
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				3.2 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT			3.7 MT				
Boom Type	1 Pc			VA			1 Pc	
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Rear Blade	Front (parallel) Blade; Rear Outriggers					
Counterweight	3.7 MT	3.2 MT					
Boom Type	1 Pc	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓*	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers						Rear (parallel) Blade
Counterweight	3.7 MT						
Boom Type	VA			1 Pc			
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	3.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				3.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.2 MT				3.7 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers					
Counterweight	3.2 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers					
Counterweight	3.7 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

M316

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers					
Counterweight	2.6 MT	3.3 MT		2.6 MT	3.3 MT	
Boom Type	VA					
Stick Length	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

Pin-on Attachments

Undercarriage	Front and Rear Outriggers			Rear Blade
Counterweight	2.6 MT	3.3 MT		
Boom Type	VA			
Stick Length	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓*

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	VA		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	VA		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	3.3 MT		
Boom Type	VA		
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓

M317F

Pin-on Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Rear (parallel) Blade		Rear Blade (Wide U/C)	
Counterweight	4.3 MT							
Boom Type	VA	Offset	VA	Offset	VA	Offset	VA	Offset
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match * Working Range Front Only No Match

S60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Rear (parallel) Blade	Rear Blade (Wide U/C)	
Counterweight	4.3 MT						
Boom Type	VA	Offset	VA	Offset	VA		Offset
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*

HCS60 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers		Front Outriggers; Rear (parallel) Blade		Rear Blade (Wide U/C)	
Counterweight	4.3 MT					
Boom Type	VA	Offset	VA	Offset	VA	Offset
Stick Length	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*

HCS65 Dedicated Coupler Attachments

Undercarriage	Front (parallel) Blade; Rear Outriggers	Front Outriggers; Rear (parallel) Blade
Counterweight	4.3 MT	
Boom Type	Offset	
Stick Length	2.45 m (8'0")	2.45 m (8'0")
P214 Secondary Pulverizer	✓	✓

M318F

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓		✓		

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer		✓						✓
P318 Primary Pulverizer		✓		✓				✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT				3.4 MT			
Boom Type	1 Pc			VA		1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer						✓		
P318 Primary Pulverizer		✓				✓		✓

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓		✓		

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc		VA		1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer		✓						
P318 Primary Pulverizer		✓		✓				

Pin-on Attachments

Undercarriage	Rear Blade						
Counterweight	3.9 MT			3.4 MT			
Boom Type	1 Pc		VA		1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓*	✓
P218 Secondary Pulverizer							
P318 Primary Pulverizer							

Pin-on Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.9 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓*		
P318 Primary Pulverizer				✓*		

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.4 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer						
P318 Primary Pulverizer						

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade					
Counterweight	3.9 MT			3.4 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front and Rear Outriggers					
Counterweight	3.9 MT			3.4 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)					
Counterweight	3.9 MT			3.4 MT		
Boom Type	1 Pc					
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Rear Blade	Rear Blade (Wide U/C)					
Counterweight	3.9 MT			3.4 MT			
Boom Type	1 Pc						
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓*	✓*	✓	✓	✓	✓	✓*

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer				✓				

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer		✓						✓

CW-20s Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT			3.4 MT				
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer						✓		

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer				✓				

CW-20s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓*	✓
P318 Primary Pulverizer		✓						

CW-20s Dedicated Coupler Attachments

Undercarriage	Rear Blade				Rear Blade (Wide U/C)			
Counterweight	3.9 MT		3.4 MT		3.9 MT			
Boom Type	1 Pc				VA			1 Pc
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓	✓	✓
P318 Primary Pulverizer								

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-20s Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)							
Counterweight	3.9 MT			3.4 MT				
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓*	✓*	✓	✓	✓
P318 Primary Pulverizer								

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer				✓				

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc		VA		1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer		✓						✓

CW-20 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT			3.4 MT				
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer						✓		

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA		1 Pc			VA		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer				✓				

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-20 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA	1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓	✓*
P318 Primary Pulverizer		✓						

CW-20 Dedicated Coupler Attachments

Undercarriage	Rear Blade		Rear Blade (Wide U/C)					
Counterweight	3.9 MT	3.4 MT	3.9 MT					
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer								

CW-20 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.4 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓*	✓	✓	✓
P318 Primary Pulverizer						

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT				3.4 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT				3.4 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT				3.4 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)			
Counterweight	3.9 MT			3.4 MT
Boom Type	VA	1 Pc		
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓*	✓	✓*	✓*

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓				

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer		✓						✓
P318 Primary Pulverizer		✓						✓

S60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT				3.4 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer						✓		
P318 Primary Pulverizer						✓		

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓				

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA	1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓*	✓
P218 Secondary Pulverizer		✓						
P318 Primary Pulverizer		✓						

S60 Dedicated Coupler Attachments

Undercarriage	Rear Blade				Rear Blade (Wide U/C)			
Counterweight	3.9 MT		3.4 MT		3.9 MT			
Boom Type	1 Pc		VA	1 Pc		VA		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓*	✓	✓	✓
P218 Secondary Pulverizer								
P318 Primary Pulverizer								

S60 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.9 MT			3.4 MT		
Boom Type	1 Pc			VA		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓
P218 Secondary Pulverizer						
P318 Primary Pulverizer						

S60 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)		
Counterweight	3.4 MT		
Boom Type	1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓
P218 Secondary Pulverizer			
P318 Primary Pulverizer			

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT				3.4 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade			
Counterweight	3.4 MT							
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓*	✓	✓*

HCS60 Dedicated Coupler Attachments

Undercarriage	Rear Blade		Rear Blade (Wide U/C)					
Counterweight	3.9 MT	3.4 MT	3.9 MT					
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)				
Counterweight	3.4 MT				
Boom Type	VA		1 Pc		
Stick Length	2.10 m (6'11")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓	✓*	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	3.4 MT				3.9 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	3.9 MT				3.4 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	3.9 MT						3.4 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade		
Counterweight	3.4 MT				3.9 MT		
Boom Type	VA		1 Pc		VA	1 Pc	
Stick Length	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.10 m (6'11")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓*

HCS65 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.9 MT					
Boom Type	VA			1 Pc		
Stick Length	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓	✓*	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS65 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)			
Counterweight	3.4 MT			
Boom Type	VA	1 Pc		
Stick Length	2.10 m (6'11")	2.10 m (6'11")	2.60 m (8'6")	2.40 m (7'10")
P214 Secondary Pulverizer	✓*	✓	✓*	✓*

M318 (Build: 05)

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade	Front Blade; Rear Outriggers			Front and Rear Outriggers		
Counterweight	4.2 MT						
Boom Type	1 Pc						
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer		✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer	✓	✓			✓		
P318 Primary Pulverizer	✓	✓			✓		

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)			Rear Blade (Wide U/C)		
Counterweight	4.2 MT					
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer	✓			✓		
P318 Primary Pulverizer	✓			✓		

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)		Rear Blade (Wide U/C)	
Counterweight	4.2 MT							
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			Front and Rear Outriggers		
Counterweight	4.2 MT					
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)			Rear Blade (Wide U/C)		
Counterweight	4.2 MT					
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			Front and Rear Outriggers		
Counterweight	4.2 MT					
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)			Rear Blade (Wide U/C)		
Counterweight	4.2 MT					
Boom Type	1 Pc					
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)		Rear Blade (Wide U/C)	
Counterweight	4.2 MT							
Boom Type	1 Pc							
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)	Rear Blade (Wide U/C)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.50 m (8'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)	Rear Blade (Wide U/C)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.50 m (8'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

M318 (Build: 07)

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade		Front Outriggers; Rear (parallel) Blade	
Counterweight	4.2 MT	3.7 MT	4.2 MT	
Boom Type	1 Pc			
Stick Length	2.20 m (7'3")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer			✓	✓
P218 Secondary Pulverizer	✓	✓		
P318 Primary Pulverizer	✓	✓		

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	4.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓				

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer		✓						✓
P318 Primary Pulverizer		✓						✓

Pin-on Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	4.2 MT				3.7 MT			
Boom Type	1 Pc			VA			1 Pc	
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer						✓		
P318 Primary Pulverizer						✓		

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	4.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer				✓				
P318 Primary Pulverizer				✓				

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade (Wide U/C)			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA	1 Pc		VA		1 Pc		
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer		✓						✓
P318 Primary Pulverizer		✓						✓

Pin-on Attachments

Undercarriage	Rear Blade (Wide U/C)							
Counterweight	4.2 MT		3.7 MT			3.7 MT		
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P218 Secondary Pulverizer								
P318 Primary Pulverizer								

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Outriggers; Rear (parallel) Blade	Front Blade; Rear Outriggers			
Counterweight	4.2 MT				
Boom Type	1 Pc	VA		1 Pc	
Stick Length	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front and Rear Outriggers				Front Outriggers; Rear Blade (Wide U/C)			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade (Wide U/C)			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)			
Counterweight	3.7 MT			
Boom Type	VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓*	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear (parallel) Blade		Front Blade; Rear Outriggers	
Counterweight	4.2 MT			
Boom Type	1 Pc		VA	
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	4.2 MT				3.7 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front and Rear Outriggers					
Counterweight	3.7 MT		4.2 MT					
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers						Front Outriggers; Rear Blade (Wide U/C)	
Counterweight	3.7 MT						4.2 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	4.2 MT				3.7 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)		Rear Blade (Wide U/C)					
Counterweight	3.7 MT			4.2 MT				
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.7 MT					
Boom Type	VA			1 Pc		
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear (parallel) Blade		Front Blade; Rear Outriggers	
Counterweight	4.2 MT			
Boom Type	1 Pc		VA	
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	4.2 MT				3.7 MT			
Boom Type	VA	1 Pc			VA			1 Pc
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front and Rear Outriggers					
Counterweight	3.7 MT			4.2 MT				
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

CW-30 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers						Front Outriggers; Rear Blade (Wide U/C)	
Counterweight	3.7 MT						4.2 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	4.2 MT				3.7 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)		Rear Blade (Wide U/C)					
Counterweight	3.7 MT		4.2 MT					
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)					
Counterweight	3.7 MT					
Boom Type	VA			1 Pc		
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓*	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers			Front and Rear Outriggers				
Counterweight	4.2 MT		3.7 MT	4.2 MT		3.7 MT		
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade (Wide U/C)			
Counterweight	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Boom Type	1 Pc							
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓*	

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers							
Counterweight	4.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers				Front and Rear Outriggers			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers							
Counterweight	4.2 MT				3.7 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)							
Counterweight	4.2 MT						3.7 MT	
Boom Type	VA			1 Pc			VA	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade (Wide U/C)			
Counterweight	3.7 MT				4.2 MT			
Boom Type	VA		1 Pc		VA		1 Pc	
Stick Length	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S60 Dedicated Coupler Attachments

Undercarriage	Rear Blade (Wide U/C)							
Counterweight	4.2 MT				3.7 MT			
Boom Type	1 Pc		VA			1 Pc		
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")	2.20 m (7'3")	2.50 m (8'2")	2.90 m (9'6")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers						Front and Rear Outriggers	
Counterweight	4.2 MT			3.7 MT			4.2 MT	
Boom Type	VA	1 Pc		VA	1 Pc		VA	1 Pc
Stick Length	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Front Outriggers; Rear Blade (Wide U/C)			
Counterweight	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Boom Type	1 Pc		VA	1 Pc		VA	1 Pc	
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS60 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)			Rear Blade (Wide U/C)				
Counterweight	3.7 MT			4.2 MT		3.7 MT		
Boom Type	1 Pc		VA	1 Pc		VA	1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers						Front and Rear Outriggers	
Counterweight	4.2 MT			3.7 MT			4.2 MT	
Boom Type	VA	1 Pc		VA	1 Pc		VA	1 Pc
Stick Length	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Front Outriggers; Rear Blade (Wide U/C)			
Counterweight	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Boom Type	1 Pc		VA	1 Pc		VA	1 Pc	
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCS65 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)			Rear Blade (Wide U/C)				
Counterweight	3.7 MT			4.2 MT		3.7 MT		
Boom Type	1 Pc		VA	1 Pc		VA	1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

M320D2

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade		Front and Rear Outriggers	
Counterweight	4.0 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.80 m (9'2")
P218 Secondary Pulverizer	✓		✓	
P318 Primary Pulverizer	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	4.0 MT	
Boom Type	1 Pc	
Stick Length	2.50 m (8'2")	
P318 Primary Pulverizer	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade	Front and Rear Outriggers
Counterweight	4.0 MT	
Boom Type	1 Pc	
Stick Length	2.50 m (8'2")	
P318 Primary Pulverizer	✓	✓

M320F

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)				Rear Blade (Wide U/C)	
Counterweight	4.2 MT		3.7 MT		4.2 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")					
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓*

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
Counterweight	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT
Boom Type	1 Pc					
Stick Length	2.50 m (8'2")					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
Counterweight	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT
Boom Type	1 Pc					
Stick Length	2.50 m (8'2")					
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

HCCW-40 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade						Front and Rear Outriggers	
Counterweight	4.2 MT			3.7 MT			4.2 MT	
Boom Type	VA	1 Pc		VA	1 Pc		VA	1 Pc
Stick Length	2.50 m (8'2")	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-40 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Front Outriggers; Rear Blade (Wide U/C)			
Counterweight	4.2 MT	3.7 MT			4.2 MT			3.7 MT
Boom Type	1 PC	VA	1 PC		VA	1 PC		VA
Stick Length	2.80 m (9'2")	2.50 m (8'2")	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

HCCW-40 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade (Wide U/C)		Rear Blade (Wide U/C)		
Counterweight	3.7 MT		4.2 MT		
Boom Type	1 PC		VA	1 PC	
Stick Length	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.50 m (8'2")	2.80 m (9'2")
P214 Secondary Pulverizer	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

M320 GC

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	2.92 m (9'7")
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

Matching – Wheel Excavators *(continued)*

 Match

 * Working Range Front Only

 No Match

S70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

HCS70/55 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers (L U/C)	Front Outriggers; Rear Blade (L U/C)
Counterweight	4.2 MT	
Boom Type	1 Pc	
Stick Length	2.92 m (9'7")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

M320 (Build: 05)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
Counterweight	4.8 MT							
Boom Type	1 Pc							
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")	2.90 m (9'6")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Rear Blade (Wide U/C)
Counterweight	4.8 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P218 Secondary Pulverizer	✓*
P318 Primary Pulverizer	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)
Counterweight	4.8 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)
Counterweight	4.8 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)
Counterweight	4.8 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

S70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)
Counterweight	4.8 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	Front and Rear Outriggers	Front Outriggers; Rear Blade (Wide U/C)
Counterweight	4.8 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

M320 (Build: 07)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers						Front Outriggers; Rear Blade	
Counterweight	4.2 MT			3.6 MT			4.2 MT	
Boom Type	VA	1 Pc		VA	1 Pc		VA	1 Pc
Stick Length	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")	
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade			Front and Rear Outriggers				
Counterweight	4.2 MT	3.6 MT		4.2 MT			3.6 MT	
Boom Type	1 Pc	VA	1 Pc	VA	1 Pc		VA	
Stick Length	2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)					
Counterweight	3.6 MT		4.2 MT			3.6 MT		
Boom Type	1 Pc		VA	1 Pc		VA	1 Pc	
Stick Length	2.50 m (8'2")	2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Rear Blade (Wide U/C)
Counterweight	4.2 MT
Boom Type	VA
Stick Length	2.50 m (8'2")
P218 Secondary Pulverizer	✓*
P318 Primary Pulverizer	✓*

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade	Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
	4.2 MT	3.6 MT		4.2 MT	3.6 MT	4.2 MT	3.6 MT
Counterweight	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	3.6 MT
Boom Type	1 Pc						
Stick Length	2.50 m (8'2")						
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓*

CW-40s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Counterweight	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Boom Type	1 Pc							
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Counterweight	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Boom Type	1 Pc							
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Counterweight	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT
Boom Type	1 Pc							
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓*	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓*	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match Working Range Front Only No Match

HCS70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade	Front and Rear Outriggers		Front Outriggers; Rear Blade (Wide U/C)	
	4.2 MT	3.6 MT	4.2 MT	3.6 MT	4.2 MT	3.6 MT	
Counterweight							
Boom Type	1 Pc						
Stick Length	2.50 m (8'2")						
P318 Primary Pulverizer	✓	✓*	✓	✓	✓	✓	✓*

M322D2

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade							
	5.4 MT				3.9 MT			
Counterweight	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
	4.4 MT				5.4 MT			
Counterweight	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Front and Rear Outriggers							
	3.9 MT				4.4 MT			
Counterweight	VA		1 Pc		VA		1 Pc	
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	Rear Blade				
	5.4 MT				4.4 MT
Counterweight	VA		1 Pc		VA
Stick Length	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")	2.50 m (8'2")	2.20 m (7'3")
P218 Secondary Pulverizer	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 Working Range Front Only
 No Match

CW-40s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade						Front and Rear Outriggers	
Counterweight	5.4 MT		3.9 MT		4.4 MT		5.4 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.20 m (7'3")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade	
Counterweight	3.9 MT		4.4 MT		5.4 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.20 m (7'3")					
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓*	✓*

CW-40 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade					
Counterweight	5.4 MT		3.9 MT		4.4 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.20 m (7'3")					
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	Front and Rear Outriggers						Rear Blade	
Counterweight	5.4 MT		3.9 MT		4.4 MT		5.4 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.20 m (7'3")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓*

M322F

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers				Front Outriggers; Rear Blade			
Counterweight	3.5 MT		4.7 MT		3.5 MT		4.7 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Wheel Excavators *(continued)*

Match
 * Working Range Front Only
 No Match

Pin-on Attachments

Undercarriage	Front and Rear Outriggers				Rear Blade	
Counterweight	3.5 MT		4.7 MT			
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")					
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓*

M322

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		Front and Rear Outriggers		Rear Blade
Counterweight	3.5 MT	4.7 MT	3.5 MT	4.7 MT	3.5 MT	4.7 MT	
Boom Type	VA						
Stick Length	2.50 m (8'2")						
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Material Handlers

Match
 Working Range Front Only
 No Match

M322D2 MH

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade		MH (2 sets Outriggers)	
Counterweight	4.0 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")	2.80 m (9'2")	2.50 m (8'2")	2.80 m (9'2")
P218 Secondary Pulverizer	✓		✓	
P318 Primary Pulverizer	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade	MH (2 sets Outriggers)
Counterweight	4.0 MT	
Boom Type	1 Pc	
Stick Length	2.50 m (8'2")	
P318 Primary Pulverizer	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade	MH (2 sets Outriggers)
Counterweight	4.0 MT	
Boom Type	1 Pc	
Stick Length	2.50 m (8'2")	
P318 Primary Pulverizer	✓	✓

M324D2 MH

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade	MH (2 sets Outriggers)
Counterweight	5.4 MT	
Boom Type	1 Pc	
Stick Length	2.50 m (8'2")	
P218 Secondary Pulverizer	✓	✓
P318 Primary Pulverizer	✓	✓

MH3022 (Build: 06)

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
Counterweight	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Material Handlers *(continued)*

Match * Working Range Front Only No Match

Pin-on Attachments

Undercarriage	MH (2.55 m)				MH (2.99 m)			
	4.2 MT		3.7 MT		4.2 MT		3.7 MT	
Counterweight	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Boom Type	2.50 m (8'2")							
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade		Front and Rear Outriggers		MH (2.55 m)		MH (2.99 m)	
	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT
Counterweight	1 Pc							
Boom Type	2.50 m (8'2")							
Stick Length	2.50 m (8'2")							
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Outriggers; Rear Blade		Front and Rear Outriggers		MH (2.55 m)		MH (2.99 m)	
	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT	4.2 MT	3.7 MT
Counterweight	1 Pc							
Boom Type	2.50 m (8'2")							
Stick Length	2.50 m (8'2")							
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

MH3022 (Build: 07)

Pin-on Attachments

Undercarriage	MH (2.55 m)		
	3.7 MT		
Counterweight	VA	1 Pc	
Boom Type	2.50 m (8'2")		2.90 m (9'6")
Stick Length	✓	✓	✓
P218 Secondary Pulverizer	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓

Cat Pin Grabber Coupler Attachments

Undercarriage	MH (2.55 m)
Counterweight	3.7 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P318 Primary Pulverizer	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	MH (2.55 m)
Counterweight	3.7 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓

Pulverizer Technical Specifications

Matching – Material Handlers *(continued)*

Match
 * Working Range Front Only
 No Match

CW-40 Dedicated Coupler Attachments

Undercarriage	MH (2.55 m)
Counterweight	3.7 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓

S70 Dedicated Coupler Attachments

Undercarriage	MH (2.55 m)
Counterweight	3.7 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P218 Secondary Pulverizer	✓
P318 Primary Pulverizer	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	MH (2.55 m)
Counterweight	3.7 MT
Boom Type	1 Pc
Stick Length	2.50 m (8'2")
P318 Primary Pulverizer	✓

MH3024 (Build: 06)

Pin-on Attachments

Undercarriage	Front Outriggers; Rear Blade				Front and Rear Outriggers			
	4.1 MT		5.2 MT		4.1 MT		5.2 MT	
Counterweight	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Boom Type								
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	MH (2.99 m)			
	4.1 MT		5.2 MT	
Counterweight	VA	1 Pc	VA	1 Pc
Boom Type				
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Material Handlers *(continued)*

Match Working Range Front Only No Match

MH3024 (Build: 06C)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		MH (2.75 m)		MH (2.99 m)	
Counterweight	4.2 MT							
Boom Type	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

CW-30s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

CW-30 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

MH3024 (Build: 07)

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers						MH (2.75 m)	
Counterweight	4.2 MT							
Boom Type	VA	1 Pc	1 Pc	VA	1 Pc	1 Pc	VA	1 Pc
Stick Length	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")		2.90 m (9'6")	2.50 m (8'2")	
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

Pin-on Attachments

Undercarriage	MH (2.75 m)	MH (2.99 m)		
Counterweight	4.2 MT			
Boom Type	1 Pc	VA	1 Pc	
Stick Length	2.90 m (9'6")	2.50 m (8'2")	2.50 m (8'2")	2.90 m (9'6")
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Material Handlers *(continued)*

Match
 * Working Range Front Only
 No Match

Cat Pin Grabber Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

CW-40s Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

CW-40 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

S70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P218 Secondary Pulverizer	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓

HCS70 Dedicated Coupler Attachments

Undercarriage	Front Blade; Rear Outriggers	Front Outriggers; Rear Blade	MH (2.75 m)	MH (2.99 m)
Counterweight	4.2 MT			
Boom Type	1 Pc			
Stick Length	2.50 m (8'2")			
P318 Primary Pulverizer	✓	✓	✓	✓

Pulverizer Technical Specifications

Matching – Material Handlers *(continued)*

Match

* Working Range Front Only

No Match

MH3026

Pin-on Attachments

Undercarriage	Front Blade; Rear Outriggers		Front Outriggers; Rear Blade		MH (2.75 m)		MH (2.99 m)	
	VA	1 Pc	VA	1 Pc	VA	1 Pc	VA	1 Pc
Counterweight	5.2 MT							
Stick Length	2.50 m (8'2")							
P218 Secondary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓
P318 Primary Pulverizer	✓	✓	✓	✓	✓	✓	✓	✓

For more complete information on Cat products, dealer services, and industry solutions, visit us on the web at www.cat.com.

© 2024 Caterpillar
All rights reserved.

Materials and specifications are subject to change without notice. Featured machines in photos may include additional equipment. See your Cat dealer for available options.

CAT, CATERPILLAR, LET'S DO THE WORK, their respective logos, "Caterpillar Corporate Yellow," the "Power Edge" and Cat "Modern Hex" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.

GEJQ0386-01 (01-2024)
Replaces: GEJQ0386-00
(Afr-ME, Aus-NZ, Europe, Eurasia,
Japan, N Am, S Am)

